





# Industrial Labeling Solutions

TOUGH, AFFORDABLE AND EASY-TO-USE













# **CONTENTS**

DYMO XTL™ MACHINES	5 - 7
DYMO ID	8
FLUKE NETWORKS LINKWARE™ LIVE	9
DYMÔ XTL™ LABELS	10 - 13
DYMO RHINO™ MACHINES	14 - 17
DYMO RHINO™ LABELS	18 - 19
DYMO LABEL RIGHT FOR ME GUIDE	20 - 21
DYMO LABELWRITER® MACHINES	22 - 24
DYMO LW DURABLE LABELS	25







# **L** 300



Single Unit Item # 1868813 Kit Item # 1868814

# DIMO CAMIO

# RHINO 4200



Single Unit Item # 1801611 Kit Item # 1835374



# RHINO™ M1011



Kit Item # 101105



# LABELWRITER 450 TURBO



Single Unit Item # 1752265



# **XTL** 500



Kit Item # 1868815



RHINO 5200



Single Unit Item # 1755749 Kit Item # 1756589



# LABELWRITER 4XL



Single Unit Item # 1755120



# LABELWRITER 450 TWIN TURBO



Single Unit Item # 1752266







# DYMO INDUSTRIAL LABELING SOLUTIONS

Save time and simplify industrial labeling jobs with DYMO \* industrial labeling solutions. DYMO offers a number of labeling solutions tailored to suit a wide range of industrial labeling tasks including cable and wire identification, safety signage or extra tough labels for workplace environments.

Tackle even the most complex labeling with the DYMO XTL <sup>™</sup> 500 and XTL <sup>™</sup> 300. Built-in label applications make getting started easy, and pre-loaded label templates ensure perfect formatting to save time and simplify industrial labeling jobs.

Portable and affordable DYMO Rhino <sup>™</sup> 4200 and 5200 machines save you time and money; both include great features such as "Hot Key" and "Favorites" shortcuts.

Use DYMO LW Durable labels with DYMO LabelWriter® 4XL, built for high volume labeling, and you're ready to create inexpensive "Direct Thermal" labels and asset tags.

Let DYMO help tackle labeling with simple solutions for low voltage, electrical, cable installation, mechanical work, plumbing, MRO or facilities signage, and more.









# WE BET YOU'VE NEVER EXPERIENCED INDUSTRIAL LABELING THIS SIMPLE.

Jobsite tested and packed with features, the DYMO \* XTL\*\* 300 and XTL \*\* 500 label makers help simplify industrial labeling for a more efficient, frustration-free experience. By incorporating an app-based interface, XTL label makers offer a familiarity that makes using them easy. That's why over 80% of people who used an XTL label maker for eight weeks without any training said it performed better than their current label maker\*. Built to meet your needs, DYMO XTL label makers offer the flexibility to print continuous tape, pre-sized labels, heat-shrink tubes and small format safety signage all from the same label maker. A full range of durable XTL labels are also available in a variety of materials and colors that comply with OSHA, ANSI and ISO color standards for workplace communication and safety.

Read on to see how XTL label makers are redefining simplicity.

# LIFELIKE ON-SCREEN PRINT PREVIEW

and color display shows exactly how labels will look when applied to cables, pipes, panels and more

XTL 500 For 1/4 in. to 2 in. Wide Labels



\* Based on in-field use study

XTL 300 For 1/4 in. to 1 in. Wide Labels

A 204





# JAS Technologies S.A.

# 999

# **XTL** 300

# SIMPLIFIES THE MOST COMPLEX LABELING

Tired of complicated labelers? Simplify labeling with the DYTM\*O300. A lifelike on-screen print preview and built-in label applications help save time on the job. Prints labels from 1/4 in. up to 1 in. wide in custom lengths.



# XTL 300 FEATURES:

- Lifelike on-screen print preview and color display shows exactly how labels will look when applied to cables, panels and more
- Built-in label applications make getting started from the home screen easy
- Pre-loaded templates ensure perfect formatting to
- Pre-set layouts for almost 100 patch panel models eliminate size and spacing guesswork

- PC-connectivity\* and free DYMO ID software for easy transfer of labels to and from the XTL 300 for jobsite editing and printing
- 6 Field-replaceable cutters for on-the-job repairs

\*Works with Windows \* 7, Windows \* 8/8.1, Windows \* 10

# **COMPATIBILITY & PACKAGE CONTENTS**

# XTL 300 SINGLE UNIT

Item # 1868813

3-Year Limited Warranty

# **PACKAGE CONTENTS:**

- DYMOXTL 300 Label Maker
- AC Charging Adapter
- USB Cable
- Rechargeable Lithium Polymer Battery
- (1) 1 in. x 23 ft. All-Purpose Vinyl, Black on White Cartridge
- Ouick Start Guide
- Software Download Card

# Compatible with DYMO XTL Labels

XTL 300 KIT Item # 1868814

PACKAGE CONTENTS: (everything in single unit, as well as):

• (1) 13/16 in. x 1-9/16 in. Laminated Wire / Cable Wrat Black on White, 150 labels

Carrying Case

# **XTL 300 ACCESSORIES**

Item Description	Item #
Rechargeable Battery	1814308
Replacement Cutter	1888634



# **XTL** 500

# SIMPLIFIES THE MOST COMPLEX LABELING

End frustration and simplify labeling with the DXMO 500. A lifelike on-screen print preview shows exactly how labels will look, while a color touch screen and built-in label applications make getting started easy. Prints labels from 1/4 in. to 2 in. wide in custom lengths.



# XTL 500 FEATURES:

- 1 Lifelike, on-screen print preview and color display shows exactly how labels will look when applied to cables, pipes, panels and more
- Built-in label applications make getting started from the home screen easy
- Touchscreen helps make label creation easien and faster
- Pre-loaded templates ensure perfect formatting to save time

- Prints 1/4 in. to 2 in. durable labels including continuous length tape, laminated wire/cable wraps, heat-shrink tubes and pre-sized labels
- Easily transfer labels to and from DYMO ID software and the PC-connected\* XTL 500 for jobsite editing and printing
- 7 Built-in auto-cutter for high volume label output
- 8 Field-replaceable cutters for on-the-job repairs

\*Works with Windows \* 7, Windows \* 8/8.1, Windows \* 10

# **COMPATIBILITY & PACKAGE CONTENTS**

XTL 500 SOFT KIT CASE

Item # 1868815

3-Year Limited Warranty

# PACKAGE CONTENTS:

- DYMO XTL 500 Label Maker
- Carrying Case
- AC Charging Adapter
- USB Cable
- · Rechargeable Lithium Polymer Battery
- (1) 2 in. x 23 ft. All-Purpose Vinyl, Black on White Cartridge
- (1) 1-1/2 in. x 1-9/16 in. Laminated Wire/Cable Wrap, Black on White, 150 labels
- Quick Start Guide
- Software Download Card

Compatible with DYMO XTL Labels



# XTL 500 ACCESSORIES

Item Description	ltem #
Rechargeable Battery	1888636
Replacement Cutter	1888637







# ACHIEVING LABELING SIMPLICITY JUST GOT EASIER.

Using DYMO ID software is easy thanks to a uniform experience that integrates the same great features found on your XTL label maker and packs them into a powerful PC-based software package. DYMO ID also allows you to update the software on your XTL printer regularly. Availab

# QUICKLY IMPORT DATA

to create a series of labels in just a few steps to eliminate manual entry, saving time and increasing productivity



# OVER 200 PRE-LOADED SYMBOLS & IMAGES

or simply add a custom image to enhance communication and meet industry standards



# SHEET LABELS

Quickly print XTL label maker Laminated Wire/Cable Wrap sheet labels directly on your laser printer



# **QUICK CUSTOMIZATION & UPGRADES**

Simply plug your XTL into a PC and use DYMO ID software to customize your preferences and keep it up to date

# DYMO ID WORKS WITH THE FOLLOWING:

- XTL 300 Label Maker
- XTL 500 Label Maker
- XTL Laminated Wire/Cable Wrap Sheet Labels
- LabelWriter 4XL
- Works with Windows \* 7 and later



Available as a FREE download from www.dymo.com









# CABLE LABELING MADE SIMPLE

Fully integrated with connectivity to Fluke Networks Live, DYMO ID labeling software and XTL label makers offer a simplified solution for cable label creation.



# QUICKLY IMPORT DATA

Import data from a LinkWare Live account in just a few steps to eliminate manual entry, saving time and increasing productivity.

From DYMO ID, easily access LinkWare Live projects, import cable ID data, and use built-in label applications and pre-loaded templates to further simplify labeling tasks. Transfer label jobs to an XTL printer for on-the-job printing.

- Use Cable ID data with built-in label applications and time-saving templates for patch panels, wire/cable labels, and more
- Consistent software design between DYMO ID software and XTL label makers makes it easy to transition between PC and label printer








dymo.com





# XTL ™ LABELS: A VISUAL GUIDE



10



# XTL ™ LABELS

Industrial-strength labels withstand the toughest conditions – moisture, chemicals, a wide range of temperatures, UV light and more.

- Durable thermal transfer printing technology label text won't smear or fade
- Easy-to-peel split back design and pre-sized labels make applying labels quick and easy



# ALI -PURPOSE VINYI

- Moisture, chemical and UV resistance makes vinyl ideal for indoor/outdoor use
- Wide range of colors that comply with OSHA, ANSI and ISO color standards to enhance workplace communication and safety
- UL recognized as a component to UL 969



# FLEXIBLE CABLE WRAPS

- For labeling wires, cables and rounded surfaces, flexible nylon material is designed to conform and stick
- Tear-proof material resists damage wher pulled through tight spaces or conduits
- UL recognized as a component to UL 96



# LAMINATED WIRE/CABLE WRAPS

- Pre-sized wire/cable wraps with laminated overwrap protect printed areas from oil, chemicals moisture abrasion and fading
- Also available in sheet label formats for high-volume installations
- UL recognized as a component to UL 969



# PRE-SIZED SAFETY LABELS

- Specific labels with colored headers including labels pre-printed with DANGER and NOTICE headers for on-demand printing of small format safety signage
- UL recognized as a component to UL 969



# PERMANENT FLAT SURFACE

- For labeling flat surfaces only, such as panels, blocks, faceplates, shelves, bins, beams and more
- Glossy finish leaves a professional look
- UL recognized as a component to UL 969



# HEAT-SHRINK TUBES (CONTINUOUS AND PRE-SIZED)

- Heat-shrink tubes provide insulation when shrunk down and ensure a secure fit on wires and cables with a 3-1 shrink ratio
- Meets MIL-M-81531, MIL-STD-202G, SAE-DTL-23053/5 (Class 1 & 3)
- UL recognized as a
   component to LIL 224



# PRE-SIZED LABELS

- Ideal for flat surface labeling like barcodes, faceplates, shelves, bins, beams and more
- Pre-sized labels help facilitate batch label printing to improve productivity
- UL recognized as a component to UL 969

dymo.com jastech.com.ec







# **LABELS**







Flexible Cable Wrap



Permanent Flat Surface



Heat-Shrink Tube (continuous)

atible with XT  Comp	oatible with XT	<b>1</b> 500 <del>−−−</del>		
•		Ľ 500 —		
1868741	1060742			<b></b>
	1868742	1868743	1868744	1868745
1868746	1868747	1868748	1868749	1868750
1868751	1868752	1868753	1868754	1868755
1868756	1868757	1868758	1868759	1868760
1868761	1868762	1868763	1868764	1868765
1868766	1868767	1868768	1868769	1868770
1868771	1868772	1868773	1868774	1868775
1868776	1868777	1868778	1868779	1868780
1868781	1868782	1868783	1868784	1868785
1868786	1868787	1868788	1868789	1868790
1868791	1868792	1868793	1868794	1868795
1868796	1868797	1868798	1868799	1868800
1868801	1868802	1868803	1868804	1868805
	1868751 1868756 1868761 1868766 1868771 1868776 1868781 1868786 1868791 1868796	1868751     1868752       1868756     1868757       1868761     1868762       1868766     1868767       1868771     1868772       1868776     1868777       1868781     1868782       1868786     1868787       1868791     1868792       1868796     1868797	1868751     1868752     1868753       1868756     1868757     1868758       1868761     1868762     1868763       1868766     1868767     1868768       1868771     1868772     1868773       1868776     1868777     1868778       1868781     1868782     1868783       1868786     1868787     1868788       1868791     1868792     1868793       1868796     1868797     1868798	1868751     1868752     1868753     1868754       1868756     1868757     1868758     1868759       1868761     1868762     1868763     1868764       1868766     1868767     1868768     1868769       1868771     1868772     1868773     1868774       1868776     1868777     1868778     1868779       1868781     1868782     1868783     1868784       1868786     1868787     1868788     1868789       1868791     1868792     1868793     1868794       1868796     1868797     1868798     1868799

# PERMANENTFLAT SURFACE

ABC	29.8 ft. (9.1 m)	1868735	1868736	1868737	-	-	-	-
ABC	29.8 ft. (9.1 m)	1868738	1868739	1868740	-	-	-	-

# FLEXIBLE CABLE WRAP

ABC 18 ft. (5.5 m) 1868806 1868807 1868808 -	-
--	---

# **HEAT-SHRINK TUBE (CONTINUOUS)**

	`							
ABC	8.9 ft. (2.7 m)	1868809	-	1868810	-	1868811	-	1868812*

<sup>\*</sup>Tape length 5.9 ft. (1.8 m) for #1868812 only







Pre-Sized Labels



Pre-Sized Safety Labels



Laminated Wire/ Cable Wraps



Laminated Wire/ Cable Wraps (sheet labels)

Text Color on Label Color	ltem #	Label Width	Label Length	Labels / Cartridge	Compatible Label Maker			
PRE-SIZED HEAT-SHRINK TUBE								
ABC	1868717	1/4 in. (6 mm)	1-5/16 in. (34 mm)	81	XTL <sup>™</sup> 500			
ABC	1868718	1/2 in. (12 mm)	1-5/16 in. (34 mm)	65	XTL 500			
ABC	1868719	1 in. (25 mm)	1-5/16 in. (34 mm)	65	XTL 500			
ABC	1868720	2 in. (51 mm)	1-5/16 in. (34 mm)	25	XTL 500			
ABC	1868731	1/4 in. (6 mm)	1-7/8 in. (47 mm)	81	XTL 500			
ABC	1868732	1/2 in. (12 mm)	1-7/8 in. (47 mm)	65	XTL 500			
ABC	1868733	1 in. (25 mm)	1-7/8 in. (47 mm)	65	XTL 500			
ABC	1868734	2 in. (51 mm)	1-7/8 in. (47 mm)	25	XTL 500			

# PRE-SIZED LABELS

ABC	1868665	1/2 in. (12 mm)	1/2 in. (12 mm)	250	XTL <sup>™</sup> 300, XTL 500
ABC	1868666	1/2 in. (12 mm)	1 in. (25 mm)	250	XTL 300, XTL 500
ABC	1868667	1/2 in. (12 mm)	1-1/2 in. (38 mm)	200	XTL 300, XTL 500
ABC	1868668	1 in. (25 mm)	1 in. (25 mm)	250	XTL 500
ABC	1868669	3/8 in. (9 mm)	1 in. (25 mm)	250	XTL 300, XTL 500
ABC	1868670	1/2 in. (12 mm)	3/4 in. (19 mm)	250	XTL 300, XTL 500
ABC	1868701	3/4 in. (19 mm)	1 in. (25 mm)	250	XTL 300, XTL 500
ABC	1868702	1 in. (25 mm)	2 in. (51 mm)	100	XTL 500
ABC	1868703	2 in. (51 mm)	3 in. (76 mm)	100	XTL 500

# PRE-SIZED SAFETY LABELS (WITH COLORED HEADERS)

ABC	1868713	2 in. (51 mm)	4 in. (102 mm)	70	XTL 500
ABC	1868714	2 in. (51 mm)	4 in. (102 mm)	70	XTL 500
NOTICE ABC	1868715	2 in. (51 mm)	4 in. (102 mm)	70	XTL 500
A DANGER ABC	1868716	2 in. (51 mm)	4 in. (102 mm)	70	XTL 500


# LAMINATEDWIRE/CABLE WRAPS

Item #	Label Width (Dim. A)	Label Length (Dim. B)	Printable Area (Dim. C)	Max Cable Diameter	Labels / Cartridge	Compatible Label Makers
1868704	13/16 in. (21 mm)	13/16 in. (21 mm)	0.35 in. (9 mm)	0.15 in. (3.8 mm)	250	XTL 300, XTL 500
1868705	13/16 in. (21 mm)	1-1/2 in. (39 mm)	0.60 in. (15 mm)	0.29 in. (7.3 mm)	150	XTL 300, XTL 500
1868706	13/16 in. (21 mm)	4 in. (102 mm)	1 in. (25 mm)	0.96 in. (24.5 mm)	75	XTL 300, XTL 500
1868707	1-1/2 in. (38 mm)	13/16 in. (21 mm)	0.35 in. (9 mm)	0.14 in. (3.5 mm)	250	XTL 500
1868708	1-1/2 in. (38 mm)	1-1/2 in. (39 mm)	0.60 in. (15 mm)	0.3 in. (7.6 mm)	150	XTL 500
1868709	1-1/2 in. (38 mm)	4 in. (102 mm)	1 in. (25 mm)	0.96 in. (24.5 mm)	75	XTL 500
1868710	2 in. (51 mm)	13/16 in. (21 mm)	0.35 in. (9 mm)	0.15 in. (3.8 mm)	250	XTL 500
1868711	2 in. (51 mm)	1-1/2 in. (39 mm)	0.60 in. (15 mm)	0.3 in. (7.6 mm)	100	XTL 500
1868712	2 in. (51 mm)	4 in. (102 mm)	1 in. (25 mm)	0.15 in. (24.5 mm)	70	XTL 500

# LAMINATEDWIRE/CABLE WRAPS (SHEET LABELS)\*\*

Item #	Label Width (Dim. A)	Label Length (Dim. B)	Printable Area (Dim. C)	Max Cable Diameter	Labels / Sheet	Labels / Pack
1908552	1 in. (25 mm)	7/8 in. (23 mm)	0.42 in. (11 mm)	0.15 in. (3.8 mm)	96	2592
1908553	1 in. (25 mm)	1-5/8 in. (42 mm)	0.67 in. (17 mm)	0.32 in. (8 mm)	48	2544
1908554	1 in. (25 mm)	4 in. (103 mm)	1.05 in. (27 mm)	0.94 in. (23.9 mm)	16	1008
1908555	1-1/2 in. (41 mm)	7/8 in. (23 mm)	0.42 in. (11 mm)	0.15 in. (3.8 mm)	60	2040
1908556	1-1/2 in. (41 mm)	1-5/8 in. (42 mm)	0.67 in. (17 mm)	0.32 in. (8 mm)	30	1020
1908557	2 in. (51 mm)	7/8 in. (23 mm)	0.42 in. (11 mm)	0.15 in. (3.8 mm)	36	1008
1908558	2 in. (51 mm)	1-5/8 in. (42 mm)	0.67 in. (17 mm)	0.32 in. (8 mm)	18	1008

NOTE: All laminated wire / cable wraps are black text on white label. \*\*Sheet labels are compatible with laser printers.



A = Label Width B = Label Length C = Printable Area





# **RHINO**<sup>M</sup>

# COMPACT, TIME-SAVING LABELING FOR ON-THE-GO PROS.

Gets labeling jobs done fast – and done right. Use one-touch "Hot Key" shortcuts to quickly create and format wire/cable wraps, flags, fixed-length labels, module labels and more. Print labels up to 3/4 in. wide on flexible nylon, permanent polyester and durable vinyl materials – PLUS print directly on heat-shrink tubes. Save even more time with great features – like the "Favorites" key which provides single-key access to commonly used labels, symbols and terms; and the "Custom" key which eliminates repeated steps by saving customized settings.

# "FAVORITES" KEY

Single-key access to your most commonly used labels, symbols and terms





# RHINO™ 4200

# ALL-PURPOSE INDUSTRIAL LABELING TOOL

With its familiar QWERTY keyboard, the Rhino 4200 gets industrial labeling jobs don fast and done right. "Hot Key" shortcuts enable you to quickly create and format wire/cable wraps, flags, fixed-length labels and more, while a "Favorites" key provides single-key access to your most commonly used labels, symbol and terms.



# **RHINO 4200 FEATURES:**

- 1 Easily enter text with a familiar computer-style (QWERTY) keyboard
- 2 Use convenient one-touch "Hot Keys" to access shortcuts for creating and formatting wire/cable wraps, flags, fixed-length and general labels
- strength labels in a variety of materials and colors plus print directly onto heat-shrink tubes

- Quickly access your most commonly used labels, symbols and terms with the "Favorites" key
- Avoid repeated steps with the "Custom" key customize and save settings for individual label formats

# **COMPATIBILITY & PACKAGE CONTENTS**

# **RHINO 4200 SINGLE UNIT**

Item # 1801611

# **PACKAGE CONTENTS:**

- Rhino 4200 Label Maker
- IND Vinyl Label Cartridge, Black on White, 1/2 in.
- Quick Reference Guide

Requires 6AA or rechargeable batteries

Compatible with DYMOIND Labels



# **RHINO 4200 KIT**

Item # 1835374

# **PACKAGE CONTENTS:**

(everything in single unit, as well as):

- Carry Case
- Rechargeable Lithium-ion Battery
- AC Adapter

# **RHINO 4200 ACCESSORIES**

Item Description	ltem#
Universal AC Adapter	15519
Rechargeable Battery	1759398
Soft Carry Case	1835375



# Jas Technologies S.A. Telecom Distributor

# RHINO™ 5200

# PORTABLE LABELING TOOL THAT SAVES YOU TIME AND MONEY

The portable Rhino 5200 saves you time and money – the unit labels up to 77% faster than the competition. Press one "Hot Key" to format text into perfect patch panel labels; press another to print matching cable flags or face plate tags, without retyping. It's just as easy to print cable and wire wraps, barcodes and more.



# **RHINO 5200 FEATURES:**

- Meets key ANSI and TIA 606-C industry labeling standards
- Exclusive, one-touch "Hot Keys" to automatically size, space and format label text for electrical and patch panels, terminal, wire/cable flags, horizontal and vertical wraps, vertical and fixed-length applications
- Prints 1/4 in. to 3/4 in. wide labels perfect for asset management
- 4 Uses DYMO \* Industrial labels with chemical-hear and UV-resistant materials; also prints heat-shrink tubes and non-adhesive labels
- 5 Last-label memory; storage for up to 100 pre-programmed industry symbols, fractions and punctuation marks

# **COMPATIBILITY & PACKAGE CONTENTS**

# RHINO 5200 SINGLE UNIT

# PACKAGE CONTENTS:

- Rhino 5200 Label Printer
- IND Vinyl Label Cartridge, Black on White, 3/4 in.
- User Manual CD-ROM
- Ouick Reference Guide

Requires 6AA or rechargeable batteries

Compatible with DYMOIND Labels



# RHINO 5200 KIT

Item # 1756589

# **PACKAGE CONTENTS:**

(everything in single unit, as well as):

- IND Vinyl Label Cartridge, Black on White, 3/4 in.
- IND Vinyl Label Cartridge, Black on White, 3/8 in.
- AC Adapter
- Hard Carry Case
- Rechargeable Lithium-ion Battery



# **RHINO 5200 ACCESSORIES**

Item Description	Item #
Universal AC Adapter	15519
Rechargeable Battery	1759398
Hard Carry Case	1760413

# RHINO<sup>M</sup> M1011

# INDUSTRIAL-STRENGTH METAL EMBOSSING TOOL

The industrial-strength Rhino M1011 embosses 1/2 in. stainless steel and aluminum labels – with or without adhesive – that resist extreme weather, temperature, chemical and UV exposure. This durable embosser features an easy-to-use label cutting handle (cuts rounded edges), hole and cable tie slots, a trailing-edge measuring gauge and much more.

# RHINO M1011 FFATURES:

	1/2 in.	stainless	and al	uminum	labels

- Create hanging, screw-on or nail-on labels with
- Accurately set the length of leading and trailing label edge with a built-in measuring gauge
- Easy-to-use cutting handle makes cutting stainles: steel labels effortless cuts slightly rounded edge

- Print standard or reverse script labels both
- 6 Deep emboss ensures excellent character legibility
- 7 Rugged cast-aluminum frame withstands tough working conditions


# **COMPATIBILITY & PACKAGE CONTENTS**

# M1011 SINGLE UNIT

Item # 101105

# PACKAGE CONTENTS:

- M1011 Label Embosser
- Horizontal Character Wheel
- Reverse-Image Character Wheel
- Non-Adhesive Aluminum Labels Roll 1/2 in. x 16 ft.
- Non-Adhesive Stainless Steel Labels Roll 1/2 in. x 21 ft
- Hard Carry Case



STAINLESS STEEL AND ALUMINIUM Ideal for marking pipelines, underground cables, engine parts, building materials and more, DYMO aluminium and stainless steel IND Embossing labels are made for heavyduty and extreme-condition labeling

# **EMBOSSINGTAPES**

Description	ltem #	Label Width	Label Length	
Aluminium without adhesive	310-00		16 ft. (4.8 m)	
Stainless steel without adhesive	325-00	1/2 in. (12 mm)	21 ft. (6.4 m)	
Aluminium with adhesive	358-00	1/2 in. (12 mm)	12 ft. (3.65 m)	

aymo.com



# DYMO " IND LABELS

Jobsite tested and UL recognized, DYMO IND labels are tough.

- Thermal transfer printing means labels won't smear or fade
- Industrial-strength adhesive resists moisture, UV light and extreme temperatures



# VINYL

For flat or curved surfaces, including wire/cable wraps. Available ir the widest range of colors that meet key OSHA, ANSI and ISO colors standards, DYMO IND Vinyl labels are ideal for both indoor and outdoor industrial applications



# SELF-LAMINATING

Wire/cable wraps with laminated overwrap protect printed areas from oil, chemicals, moisture and fading



# **POLYESTER**

DYMO IND Permanent Polyester labels are intended for flat surfaces or flags and feature a polished finish ideal for panels blocks, faceplates, shelves, bins, beams and more



# FLEXIBLE NYLON

Specifically designed for curved surfaces and wire/cable marking, DYMO IND Flexible Nylon labels stick securely to wires, cables, curved and textured surfaces



# HEAT-SHRINK TUBES

DYMO IND Heat-Shrink Tube labels offer the convenience of printing directly on the tubing itself for high-end cable identification, with 3:1 reduction for tight compression









Permanent Polyester



Flexible Cable Wrap

Text Color on Label Color         Length         1/4 in. (6 mm)         3/8 in. (9 mm)         1/2 in. (12 mm)         3/4 in. (19 mm)         1 in.* (25 mm)	
---	--

# VINYL

ABC	18 ft. (5.5 m)	-	18443	18444	18445	1805430
ABC	18 ft. (5.5 m)	-	-	18432	18433	1805431
ABC	18 ft. (5.5 m)	-	-	18435	18436	-
ABC	18 ft. (5.5 m)	-	-	1805413	1805419	-
ABC	18 ft. (5.5 m)	-	-	1805416	1805422	1805429
ABC	18 ft. (5.5 m)	-	1805437	1805435	1805436	1805432
ABC	18 ft. (5.5 m)	-	-	1805414	1805420	-
ABC	18 ft. (5.5 m)	-	-	1805243	1805417	-
ABC	18 ft. (5.5 m)	-	-	1805415	1805421	-
ABC	18 ft. (5.5 m)	-	-	1805412	1805418	-

# PERMANENTPOLYESTER

ABC	18 ft. (5.5 m)	1805442	18482	18483	18484	1734523
ABC	18 ft. (5.5 m)	1805440	18508DMO	622289	622290	-
ABC	18 ft. (5.5 m)	1805441	18485	18486	18487	-

# **HEAT SHRINKTUBES**

ABC	5 ft. (1.5 m)	18051	18053	18055	18057	1805443
ABC	5 ft. (1.5 m)	18052	18054	18056	18058	1805444

# FLEXIBLE NYLON

ABC	11.5 ft. (3.5 m)	-	-	18488	18489	1734524
ABC	11.5 ft. (3.5 m)	-	-	18490	18491	1734525

# SELF LAMINATED

<sup>\*1</sup> in. IND labels are only compatible with the Rhino  $\,\,^{\,\,\scriptscriptstyle{\mathrm{M}}}$  6000





# THE RIGHT LABEL FOR THE RIGHT APPLICATION

					XTL TM			
		All-Purpose Vinyl	Permanent Flat Surface	Flexible Cable Wrap	Heat-Shrink Tube (continuous & pre-sized)	Laminated Wire/Cable Wraps	Pre-Sized Labels	Pre-Sized Safety Labels
	Flat							
a a	Wires & Cables							
Surface	Curved							
Su	Flag							
	Textured							
	Heat / Cold	-40° F to 176° F	-40° F to 302° F	-40° F to 176° F	-67° F to 257° F	-40° F to 176° F	-40° F to 302° F	-40° F to 176° F
e,	Outdoor							
Resistance	UV Light							
esis	Oil							
~	Water							
	Chemical							
ards	Color	OSHA, ANSI, ISO color standards						Colored header to comply with OSHA, ANSI, ISO color standards
try Standa & Ratings	UL Recognized as a component to	UL 969	UL 969	UL 969	UL 224	UL 969	UL 969	UL 969
Industry Standards & Ratings	MIL-Spec & SAE				MIL-M-8153 MIL-STD-202G SAE-DTL-230535 (Class 1 & 3)			
	RoHS							

				Rhino * IND			Rhir	no Embossing		LabelWriter *
		Vinyl	Permanent Polyester	Flex Nylon	Heat- Shrink Tube	Self- Laminating	Aluminum with Adhesive	Aluminium	Stainless Steel	LW Durables
	Flat									
a	Wires & Cables									
Surface	Curved									
Su	Flag									
	Textured									
	Heat / Cold	-40° F to 176° F	-40° F to 302° F	-40° F to 176° F	-67° F to 257° F	-40° F to 176° F	Max 302° F	Max 302° F	0° F to 1112° F	0° F to 122° F
e e	Outdoor									
Resistance	UV Light									
esis	Oil									
_ ~	Water									
	Chemical									
	Color	OSHA, ANSI ISO								
dards Is	UL Recognized as a component to	UL 969	UL 969	UL 969	UL 224	UL 969				UL 969
Industry Standards & Ratings	MIL-Spec & SAE			MIL-M-8153 MIL-STD-202G SAE- DTL-230535 (Class 1 & 3)						
	RoHS									

# CHOOSING BETWEEN XTL ™ AND RHINO









			A-3.		
Feature / Product	XTL <sup>™</sup> 500	XTL ™ 300	Rhino <sup>™</sup> 5200	Rhino <sup>™</sup> 4200	
ITEM #	Kit: 1868815	1868813 / Kit: 1868814	17755749 / Kit: 1756589	1801611 / Kit: 1835374	
Printing System	Thermal Transfer	Thermal Transfer	Thermal Transfer	Thermal Transfer	
Max Label Width	2 in.	1 in.	3/4 in.	3/4 in.	
Labels Supported	DYMÓ XTL	DYMO XTL	D1, IND	D1, IND	
Display	4 in. Color Touch Screen	2.8 in. Color Screen	2.63 in.	2.56 in.	
Print Speed (average)	1.10 in./sec	1.25 in./sec	0.4 in./sec	0.6 in./sec	
Keyboard	QWERTY	QWERTY	ABC	QWERTY	
Print DPI	300	300	180	180	
Printable Lines	24	11	5	5	
Barcodes Supported	Code 128 (Auto), Code 39, Code 39 Mod 43, EAN8, EAN13 UPC-A, Codabar, PDF-417, QR Code	Code 128 (Auto), Code 39, 3, Code 39 Mod 43, EAN8, EAN13 UPC-A, Codabar, PDF-417, QR Code	Code 39 Mod 43, Code 128	Code 39 Mod 43, Code 128	
Serialization					
Cutter	Auto, Replaceable	Manual, Replaceable	Manual	Manual	
Power Supply	Rechargeable Lithium Polyme Battery or AC Adapter	er Rechargeable Lithium Polyme Battery or AC Adapter	er AA / Rechargeable Lithium-io Capable	n AA / Rechargeable Lithium-idr Capable	
Memory	41 MB	41 MB	100 labels / Last Label	25 labels / Last Label	
Warranty	3-Year Limited	3-Year Limited	1-Year Limited	1-Year Limited	
PC Connectivity			-	-	
Software	DYMO ID, Free download	DYMO ID, Free download	-	-	
Compatibility	Window's 7 and later	Windows 7 and later	-	-	

# HOW TO CHOOSE THE RIGHT DYMO \* INDUSTRIAL LABEL

Environmen	t	***	UV		$\bigcirc$		
Surface		Heat/Cold Resistant	UV Light Resistant	Oil Resistant	Water Resistant	Chemical Resistant	Color Coding
	Cable/ Wire	Flexible Nylon/ Flexible Cable Wrap Heat-Shrink Tube	Vinyl/ All Purpose Vinyl Heat-Shrink Tube	Vinyl/ All Purpose Vinyl Heat-Shrink Tube	Vinyl/ All Purpose Vinyl Heat-Shrink Tube	Vinyl/ All Purpose Vinyl Heat-Shrink Tube	Vinyl/ All Purpose Vinyl
	Curved Surface	Flexible Nylon/ Flexible Cable Wrap Vinyl/ All Purpose Vinyl	Vinyl/ All Purpose Vinyl Flexible Nylon/ Flexible Cable Wrap	Vinyl/ All Purpose Vinyl	Vinyl/ All Purpose Vinyl Flexible Nylon/ Flexible Cable Wrap	Vinyl/ All Purpose Vinyl	Vinyl/ All Purpose Vinyl
	Flat Surface	Permanent Polyester/ Permanent Flat Surface Flexible Nylon/ Flexible Cable Wrap	Permanent Flat Surface Vinyl/	Permanent Polyester/ Permanent Flat Surface Vinyl/ All Purpose Vinyl	Permanent Polyester/ Permanent Flat Surface Vinyl/ All Purpose Vinyl	Permanent Polyester/ Permanent Flat Surface Vinyl/ All Purpose Vinyl	Vinyl/ All Purpose Vinyl
	Textured Surface	Permanent Polyester/ Permanent Flat Surface Flexible Nylon/ Flexible Cable Wrap	All Purpose Vinyl Permanent Polyester Permanent	Vinyl/ All Purpose Vinyl / Permanent Polyester Permanent Flat Surface	Vinyl/ All Purpose Vinyl / Permanent Polyester Permanent Flat Surface	Vinyl/ All Purpose Vinyl / Permanent Polyester Permanent Flat Surface	Vinyl/ / All Purpose Vinyl

Top = Best Option

Bottom = Alternate Option





# LABELWRITER® 4XL

# THE WIDE-FORMAT, COST-EFFECTIVE LABEL PRINTER FOR HIGH-VOLUME LABELING

Put a DYMOLabelWriter 4XL in your office or workplace, and you're ready for any mailing or labeling job that comes your way. Print labels up to 4-1/16 in. wide, including all-in-one 4-1/16 in. x 6-1/4 in. shipping labels, bulk mailing, warehouse labels and other large label formats. And print dozens more label styles and sizes for use with file folders, name badges and more. In addition, with its compact size, the 4XL printer fits into almost any workspace or desktop. With its fast print speed, crisp print quality and time-saving DYMO Label and DYMO ID softwares, you'll quickly and easily create all the labels you need to meet any shipping or business demand.



# LABELWRITER 4XL FEATURES:

- Print labels up to 4-1/16 in. wide including large-format labels, 4-1/16 in. x 6-1/4 in. all-in-one shipping labels, warehouse labels, barcode and identification labels
- Print up to 53 labels per minute easily print labels from your Outlook Contacts or Mac Address Book
- Uses thermal printing technology no expensive ink or toner costs, ever
- Easily transfer labels to and from DYMO ID software with a PC\* for the same simplified labeling experience found with XTL Tabel makers, while also offering additional features to help tackle high-volume label tasks
- Also compatible with DYMO Label software, created for home or office use. Print crisp text, graphics and barcodes at 300 dpi. Create labels directly from text in Microsoft \* Word, Excel \*, Outlook \* or CardScan \* without retyping. Print dozens more label styles and sizes for addresses, file folders, name badges.

# **COMPATIBILITY & PACKAGE CONTENTS**

Compatible with DYMOLW Labels



# LABELWRITER 4XL SINGLE UNIT

Item # 1755120

# PACKAGE CONTENTS:

- · LabelWriter 4XL Label printer
- 4 in. x 6 in. Extra Large Shipping Labels
- Adapter
- Power Cable
- USB Cable
- Quick Start Guide

# LABELWRITER® 450 TURBO

# HIGH-SPEED LABEL PRINTER FOR PC AND MAC

The LabelWriter 450 Turbo not only prints up to 71 four-line address labels per minute, but prints a wide variety of pre-sized labels too. Print labels up to 2-5/16 in. wide in a variety of lengths. Customize and print address, shipping, file folder and barcode labels, plus name badges and more straight from your PC or Mac Save time and money at the office with the versatile LabelWriter 450 Turbo.



# LARFI WRITER 450 TURBO FEATURES

- 1 Eliminate the waste and hassle of sheet labels print precise quantities without difficulty
- Customize and print address, shipping, file folder and barcode labels, plus name badges and more – all from your PC or Mac \*\*
- 3 Print fast up to 71 labels per minute\*

- No expensive ink or toner needed uses thermal printing technology
- Print crystal-clear barcodes, labels and graphics with 600 x 300 dpi resolution

# COMPATIBILITY & PACKAGE CONTENTS

.....

Compatible with DYMOLW Labels



# LABELWRITER 450 TURBO SINGLE UNIT Item # 1752265

# PACKAGE CONTENTS:

- LabelWriter 450 Turbo Label Printer
- Address Labels Starter Roll
- DYMO Stamp's Starter Roll
- Adapter
- Power Cable
- USB Cable
- Quick Start Guide

\*Compatible with Windows \* 7 or later and Mac OS \* X v10.8 or later. Microsoft and Windows are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Mac and OS X are trademarks of Apple Inc., registered in the U.S. and other countries.

<sup>\*\*4-</sup>line address label





# LABELWRITER® 450 TWIN TURBO

# DUAL-ROLL LABEL AND POSTAGE PRINTER FOR PC AND MAC

The DYMO LabelWriter 450 Twin Turbo features two rolls of labels ready to print at all times – enhancing efficiency by allowing you to print two label types without swapping label rolls – and prints up to 71 four-line standard address labels per minute for maximum productivity. Create and print address, shipping, file folder and barcode labels, plus name badges and more – all without the extra work and hassle of printing sheet labels on a standard desktop printer.



# LABELWRITER 450 TWIN TURBO FEATURES:

- Have two rolls of labels ready to print at all times perfect for enhancing efficiency and printing address labels or postage without swapping label rolls
- 2 Eliminate the waste and hassle of sheet labels print precise quantities without difficulty
- \_\_\_\_\_ Label, mail, and file more efficiently with DYMO Label ™ software
- Customize and print address, shipping, file folder and barcode labels, plus name badges and more all from your PC or Mac \*\*

# COMPATIBILITY & PACKAGE CONTENTS

Compatible with DYMOLW Labels



# LABELWRITER 450 TWIN TURBO SINGLE UNIT Item # 1752266

# PACKAGE CONTENTS:

- · LabelWriter 450 Twin Turbo Label Printer
- Address Labels Starter Roll
- DYMO Stamp's Starter Roll
- Adapter
- Power Cable
- USB Cable
- Quick Start Guide

\*Compatible with Windows \* 7 or later and Mac OS \* X v10.8 or later. Microsoft and Windows are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Mac and OS X are trademarks of Apple Inc., registered in the U.S. and other countries.



# DYMO \* LW DURABLE **LABELS**

Last on demanding surfaces to work overtime in tough conditions.

- Industrial-strength adhesive sticks securely to challenging surfaces like metal tread plate, textured PVC, wood, glass and more
- Protective coating prevents peeling from abrasion, as well as industrial oils and cleaners
- · Moisture-resistant design withstands damp conditions up to 85% humidity
- · Ideal for labeling shelves, warehousing, chemical storage, floor markers, equipment/inventory and more

Label Format	SKU	Label Size	Labels Per Roll	Rolls Per Box
	1933081	1 in. x 3-1/2 in. (25 mm x 89 mm)	350	2
	1933083	1 in. x 1 in. (25 mm x 25 mm)	850	2
	1933084	2-1/4 in. x 1-1/4 in. (57 mm x 32 mm)	800	1
	1933085	3/4 in. x 2-1/2 in. (19 mm x 64 mm)	450	2
	1933086*	4 in. x 6 in. (104 mm x 159 mm)	200	1
6	1933087	2-5/16 in. x 7-1/2 in. (59 mm x 190 mm)	170	1
*Only compatible with the LabelWriter	1933088	2-5/16 in. x 4 in. (59 mm x 102 mm)	300	1

NOTES

# NOTES











# Visit us at DYMO.com and jastech.com.ec

Jas Technologies S.A

Tel: +(593) 2 202 1519 / +(593) 2 202 1594

Celular: +(593) 9 80288133 Correo: ventas@jastech.com.ec

Dirección: Caran N4-117 y Pasaje "D" Aguirre Terán (Calderón)

Quito - Ecuador

