



Labeling Solutions Guide



Welcome

In almost every professional setting today, there is an increased focus on creating a work environment that is safer, more productive, and more efficient. When things do go wrong, organizations need to be able to effectively respond so they can get back to delivering the best product or service possible to their customer. DYMO can help. With a full offering of label makers and labels, DYMO can assist organizations with a broad array of labeling applications. From labeling file folders to marking pipes, identifying cables, and printing barcodes used to track inventory, DYMO has a solution that can help improve the safety and productivity of almost any work environment.

This catalog is intended to serve as a tool to help you identify and learn about the various labeling opportunities within specific industries and their corresponding DYMO labeling solution. Included in this guide are a series of facility maps representing the following environments: Data Centers, Education, Healthcare, Hospitality, Manufacturing, and Office. Use these maps to identify the various labeling applications found within each facility. The corresponding overview section for each environment provides valuable information on the DYMO difference for each application, as well as insight into who may be responsible for making the purchasing decision. Last, to support the maps you will also find detailed labeling application guides that provide product recommendations and an overview of each application, showing the advantages that labeling can provide.

DYMO is how labeling gets done.

Maps

Data Center.....	02
Education.....	03
Hospitality.....	04
Manufacturing.....	05
Office.....	06

Applications

5S Visual Workplace.....	07
Asset Tracking.....	09
Barcodes.....	11
Cable & Wire.....	13
Electrical.....	15
Maintenance, Repair & Operations.....	17
General Identification.....	19
Mailing & Shipping.....	21
Networking Components.....	23
Pipe/Conduit Marking.....	25
Pro AV/Security.....	27
Retail & Food Service.....	29
Visitor Management.....	31

Overviews

LabelManager Rhino™ & XTL™ Label Makers.....	33
D1, XTL & IND Labels.....	35
LabelWriter Label Printers.....	39
Software, Integration & Networking..	40
LW Labels.....	41
LW Label Rolls.....	43
Digital Postal Scales.....	45


Data Center

Labeling with DYMO in the Data Center

Proper labeling of infrastructure components is essential to efficient data center operations. The DYMO line of professional grade label printers meet ANSI/TIA-606-C standards and can be used to clearly label racks, cabinets, wires/cables, patch panels and ports for fast identification.

Key Users & Decision Makers

- Administrative Assistant
- Data Center Technician
- Electrical Contractor
- Electrical Installer
- Facility Manager
- IT Project Manager
- IT Technician
- Low Voltage Contractors
- Office Manager
- Network Installer
- Production Supervisor
- Professional Audiovisual Installer
- Security Installer
- Security Manager
- Small Business Owner
- Telecom Project Manager
- Warehouse Manager



Labeling Opportunities	The DYMO Difference	Application Guides
A Asset Tracking/Barcoding –Commonly used for inventory management, barcode labels allow the ability to store and organize varying amounts of data.	DYMO offers label makers and software that print a range of barcode technologies, including QR codes. Choose from a variety of label materials and label layouts to print customized tracking labels.	See application guides Asset Tracking p 09 Barcodes p 11
AV Pro AV/Security –Label audiovisual, security components and network systems for easier maintenance and reduced down time.	Use DYMO industrial labelers to make customized cable wraps and panel labels in just a few simple steps. DYMO colored labels are perfect for categorizing and color coding components, which make any job professional and organized.	See application guide Pro AV/Security p 27
CM Cable Management -Labels help to quickly and easily identify cables of wires and can be placed in a location that is easy to read, even in hard-to-reach areas.	DYMO industrial labelers and labels are tough, affordable and long lasting. Speed productivity with templates to print for specific diameters so that a label can be read from any angle once applied to the cable.	See application guide Cable & Wire p 13
D Networking/Datacom -Labels used to identify patch panels, faceplates, servers, racks, wireless access points, lighting control systems, power outlets, Ethernet circuits and more. Labeling helps to ensure consistency across installation.	DYMO industrial label makers are designed by installers for installers to properly label network installations and meet ANSI and TIA-606-C industry labeling standards. Create patch panel labels and all corresponding cable and faceplate labels without having to retype your data.	See application guide Networking Components p 23
E Electrical – Identification of infrastructure, UPS systems, emergency circuits, dedicated circuits, fire alarm systems and potential safety hazards to keep people safe and productive.	DYMO offers a line of industrial label printers and labels ideal for the electrical installer. Whether using UL-recognized colored vinyl labels or heat-shrink tubing that meets SAE and MIL standards, DYMO provides solutions that get the job done efficiently and safely.	See application guide Electrical p 15
G General Organization -Identification of infrastructure, UPS systems, emergency circuits, dedicated circuits, fire alarm systems and potential safety hazards to keep people safe and productive.	DYMO offers a variety of labels including specific labels for folders, bins, shelves and media products to help quickly organize any space and increase efficiency. DYMO label makers and printers are designed with time-saving shortcuts, saving time and money.	See application guide General Identification p 19
M Mailing & Shipping –Quickly print address, shipping and postage labels on demand.	DYMO labelers integrate easily to meet mailing and shipping needs. Print address labels and 4-inch wide shipping labels. Use DYMO Label software to import your contacts from MS Outlook to create hundreds of labels in no time.	See application guide Mailing & Shipping p 21
V Visitor Management -For quick, on-demand printing of name badges help support the visitor check-in process.	Choose from a proven line of easy-to-integrate DYMO labelers that uniquely meet visitor management needs. No more messy ink cartridges or printing ribbons. Choose name badge labels made from paper or a durable polyester.	See application guide Visitor Management p 31

The information contained in this Data Center Guide is being provided for general information purposes only and is based on current standards which are subject to change.


Education

Labeling with DYMO in the Education Environment

DYMO printers and labels satisfy a wide range of labeling needs across educational campuses – while eliminating the ongoing expense of ink and toner. Use DYMO labelers to print visitor badges, label audiovisual and security equipment, manage asset tracking, employ barcoding, and keep an entire facility well organized and operating smoothly.

Key Users & Decision Makers

- Administrative Assistant
- Data Center Technician
- Facility Manager
- IT Project Manager
- IT Technician
- Maintenance Manager
- Network Installer
- Office Manager
- Procurement
- Production Supervisor
- Professional Audiovisual Installer
- Safety Manager
- Security Installer
- Security Manager
- Teacher
- Telecom Project Manager




Labeling Opportunities	The DYMO Difference	Application Guides
A Asset Tracking/Barcoding –Commonly used for inventory management, barcode labels allow the ability to store and organize varying amounts and types of data.	DYMO offers printers and software that print a range of barcode technologies, including QR codes. Choose from a variety of label materials and label layouts to print customized tracking labels.	See application guides Asset Tracking p 09 Barcodes p 11
AV Pro AV/Security –Label audiovisual, security components and network systems for easier maintenance and reduced down time.	Use DYMO industrial labelers to make customized cable wraps and panel labels in just a few simple steps. DYMO colored labels are perfect for categorizing and color coding components, which make any job look professional and organized.	See application guide Pro AV/Security p 27
CM Cable Management –Labels help to quickly and easily identify cables or wires and can be placed in a location that is easy to read, even in hard-to-reach areas.	DYMO industrial labelers and labels are tough, affordable and long lasting. Speed productivity with templates to print for specific diameters so that a label can be read from any angle once applied to the cable.	See application guide Cable & Wire p 13
D Networking/Datacom –Labels used to identify patch panels, faceplates, servers, racks, wireless access points, lighting control systems, power over Ethernet circuits and more. Labeling helps ensure consistency across the installation.	DYMO industrial label makers are designed by installers for installers to properly label network installations and meet ANSI and TIA-606-C industry labeling standards. Create patch panel labels and all corresponding cable and faceplate labels without having to retype your data.	See application guide Networking Components p 23
F Maintenance, Repair & Operations –Label equipment, chemicals, shelving and networks to enhance productivity and performance.	DYMO provides a variety of products to make your facility safer and more organized. Use DYMO labelers to print colored vinyl labels, personalized safety labels and apply 5S standards in just a few easy steps. Print batches of durable polyester labels – perfect for tracking assets, marking beams and more.	See application guide Maintenance, Repair & Operations p 17
G General Organization –Labels used for files, binders, and identification, provide an efficient way to simplify the everyday work flow in and around the office.	DYMO offers a variety of labels including specific labels for folders, bins, shelves and media products to help quickly organize any space and increase efficiency. DYMO label makers and printers are designed with time-saving shortcuts, saving time and money.	See application guide General Identification p 19
M Mailing & Shipping –Quickly print address, shipping and postage labels on demand.	DYMO labelers integrate easily to meet mailing and shipping needs. Print address labels and 4-inch wide shipping labels. Use DYMO Label software to import your contacts from MS Outlook or Excel to create hundreds of labels in no time.	See application guide Mailing & Shipping p 21
V Visitor Management –For quick, on-demand printing of name badges to help support the visitor check-in process.	Choose from a proven line of easy-to-integrate DYMO labelers that uniquely meet visitor management needs. No more messy ink cartridges or printing ribbons. Choose name badge labels made from a visitor Management p 31	See application guide Visitor Management p 31

Labeling with DYMO in the Hospitality Industry

Making a positive impression and keeping things operating smoothly are critical to success within the hospitality and service industries. DYMO labeling solutions work throughout any retail, hotel or food service facility, simplifying the process of asset tracking, barcoding, inventory control, facility management and general organization.

Key Users & Decision Makers

- Administrative Assistant
- Facility Manager
- Inventory Control Manager
- IT Project Manager
- IT Technician
- Maintenance Manager
- Manager
- Network Installer
- Office Manager
- Operations Manager
- Production Supervisor
- Professional Audiovisual Installer
- Safety Manager
- Security Installer
- Security Manager
- Small Business Owner
- Telecom Project Manager



Labeling Opportunities	The DYMO Difference	Application Guides
AV Pro AV/Security –Label audiovisual, security components and network systems for easier maintenance and reduced down time.	Use DYMO industrial labelers to make customized cable wraps and panel labels in just a few simple steps. DYMO colored labels are perfect for categorizing and color coding components, which make any job professional and organized.	See application guide Pro AV/Security 27
CM Cable Management –Labels help to quickly and easily identify cables of wires and can be placed in a location that is easy to read, even in hard-to-reach areas.	DYMO industrial labelers and labels are tough, affordable and long lasting. Speed productivity with templates to print for specific diameters so that a label can be read from any angle once applied to the cable.	See application guide Cable & Wire 13
D Networking/Datacom –Labels used to identify patch panels, faceplates, servers, racks, wireless access points, lighting control systems, power over Ethernet circuits and more. Labeling helps to ensure consistency across the installation.	DYMO industrial label makers are designed by installers for installers to properly label network installations and meet ANSI and TIA-606-C industry labeling standards. Create patch panel labels and all corresponding cable and faceplate labels without having to retype your data.	See application guide Networking Components 23
F Maintenance, Repair & Operations –Label equipment, chemicals, shelving and networks to enhance productivity and performance.	DYMO provides a variety of products to make your facility safer and more organized. Use DYMO labelers to print colored vinyl labels, personalized safety labels and apply 5S standards in just a few easy steps, and print batches of durable polyester labels – perfect for tracking assets.	See application guide Maintenance, Repair & Operations 17
G General Organization –Labels used for files, binders, and identification, provide an efficient way to simplify the everyday work flow in and around the office.	DYMO offers a variety of labels including specific labels for folders, bins, shelves and media products to help quickly organize any space and increase efficiency. DYMO label makers and printers are designed with time-saving shortcuts, saving time and money.	See application guide General Identification 19
M Mailing & Shipping –Quickly print address, shipping and postage labels on demand.	DYMO labelers integrate easily to meet mailing and shipping needs. Print address labels and 4-inch wide shipping labels. Use DYMO Label software to import your contacts from MS Outlook to create hundreds of labels in no time.	See application guide Mailing & Shipping 21
R Retail & Food Service –Print price tags, receipts and shelving tags, as well as industry tracking barcodes.	DYMO products provide a fast and easy way to make small businesses look professional without breaking the bank. Print customized product labels and price tags complete with barcodes for better tracking and faster checkout. Use the same printer for shipping labels.	See application guide Retail & Food Service 29
V Visitor Management –For quick, on-demand printing of name badges help support the visitor check-in process.	Choose from a proven line of easy-to-integrate DYMO labelers that uniquely meet visitor management needs. No more messy ink cartridges or printing ribbons. Choose name badge labels made from paper or a durable polyester.	See application guide Visitor Management 31


Manufacturing

Labeling with DYMO in the Warehouse or Manufacturing Facility

DYMO delivers a comprehensive array of labeling options to help achieve a flexible workflow and increase productivity throughout warehouse and manufacturing facilities. Use DYMO labelers and industrial labels for everything from barcoding to labels for shipping, receiving, shelving, bins, beams and pipe marking.

Key Users & Decision Makers

- Administrative Assistant
- Electrical Contractor
- Electrical Installer
- Electricians
- Facility Manager
- Maintenance Manager
- Office Manager
- Production Supervisor
- Safety Manager
- Security Manager
- Small Business Owner
- Tool Crib Manager
- Warehouse Manager



Labeling Opportunities	The DYMO Difference	Application Guides
A Asset Tracking/Barcoding –Commonly used for inventory management, barcode labels allow the ability to store and organize varying amounts and types of data.	DYMO offers printers and software that print a range of barcode technologies, including QR codes. Choose from a variety of label materials and label layouts to print customized tracking labels.	See application guides Asset Tracking p 09 Barcodes p 11
E Electrical – Identification of infrastructure, UPS systems, emergency circuits, dedicated circuits, fire alarm systems and potential safety hazards to keep people safe and productive.	DYMO offers a line of industrial label printers and labels ideal for the electrical installer. Whether using UL-recognized colored vinyl labels or heat-shrink tubing that meets SAE and MIL standards, DYMO provides solutions that get the job done efficiently and safely.	See application guide Electrical p 15
F Maintenance, Repair & Operations Label equipment, chemicals, shelving and networks to enhance productivity and performance.	DYMO provides a variety of products to make your facility safer and more organized. Use DYMO labelers to print colored vinyl labels, pre-sized safety labels and apply 5S standards in just a few easy steps. Print batches of durable polyester labels – perfect for tracking assets, marking beams and more.	See application guide Maintenance, Repair & Operations p 17
G General Organization Labels used for files, binders, and identification, provide an efficient way to simplify the everyday work flow in and around the office.	DYMO offers a variety of labels including specific labels for folders, bins, shelves and media products to help quickly organize any space and increase efficiency. DYMO label makers and printers are designed with time-saving shortcuts, saving time and money.	See application guide General Identification p 19
M Mailing & Shipping –Quickly print address, shipping and postage labels on demand.	DYMO labelers integrate easily to meet mailing and shipping needs. Print address labels and 4-inch wide shipping labels. Use DYMO Label software to import your contacts from MS Outlook to create hundreds of labels in no time.	See application guide Mailing & Shipping p 21
P Pipe/Conduit Marking Labels provide information pertaining to pipe's content and direction of flow for quick visual identification.	DYMO offers industrial-grade vinyl labels that are UL-recognized and RoHS compliant. Choose from templates specifically designed for pipe marking and colors that best meet ASME and ANSI A13.1 pipe marking standards.	See application guide Pipe/Conduit Marking p 25
V Visitor Management –For quick, on-demand printing of name badges to help support the visitor check-in process.	Choose from a proven line of easy-to-integrate DYMO labelers that uniquely meet visitor management needs. No more messy inkjet cartridges or printing ribbons. Choose name badge labels made from paper or a durable polyester.	See application guide Visitor Management p 31
W 5S Visual Workplace –Used to support color coding, identification of assets or workspaces, and to provide uniform communication throughout an organization.	Meet 5S needs with industrial labeling solutions from DYMO. DYMO INDUSTRIAL labels are jobsite tested and UL-recognized. For labeling OSHA, ISO and ANSI color standards or labeling in harsh conditions, DYMO can help make any facility run safer and more efficient.	See application guide 5S Visual Workplace p 07


Labeling with DYMO in the Office Environment

Labeling can make any office more productive, efficient and professional. Whether it's file folder labels, address labels, postage, name badges or tough industrial labels, DYMO labeling tools help make the process of identification and organization quick and easy.



Key Users & Decision Makers

- Administrative Assistant
- Data Center Technician
- Facility Manager
- IT Project Manager
- Maintenance Manager
- Network Installer
- Office Manager
- Production Supervisor
- Safety Manager
- Security Manager
- Small Business Owner
- Telecom Project Manager
- Tool Crib Manager
- Warehouse Manager



Labeling Opportunities	The DYMO Difference	Application Guides
A Asset Tracking/Barcoding – Commonly used for inventory management, barcode labels allow the ability to store and organize varying amounts of data.	DYMO offers printers and software that print a range of barcode technologies, including QR codes. Choose from a variety of label materials and label layouts to print customized tracking labels.	See application guides Asset Tracking p 09 Barcodes p 11
CM Cable Management – Labels help to quickly and easily identify cables of wires and can be placed in a location that is easy to read, even in hard-to-reach areas.	DYMO industrial labelers and labels are tough, affordable and long lasting. Speed productivity with templates to print for specific diameters so that a label can be read from any angle once applied to the cable.	See application guide Cable & Wire p 13
D Networking/Datacom – Labels used to identify patch panels, faceplates, servers, racks, wireless access points, lighting control systems, power over Ethernet circuits and more. Labeling helps to ensure consistency across the installation.	DYMO industrial label makers are designed by installers for installers to properly label network installations and meet ANSI and TIA-606-C industry labeling standards. Create patch panel labels and all corresponding cable and faceplate labels without having to retype your data.	See application guide Networking Components p 23
E Electrical – Identification of infrastructure, UPS systems, emergency circuits, dedicated circuits, fire alarm systems and potential safety hazards to keep people safe and productive.	DYMO offers a line of industrial label printers and labels ideal for the electrical installer. Whether using UL-recognized colored vinyl labels or heat-shrink tubing that meets SAE and MIL standards, DYMO provides solutions that get the job done efficiently and safely.	See application guide Electrical p 15
F Maintenance, Repair & Operations – Label equipment, chemicals, shelving and networks to enhance productivity and performance.	DYMO provides a variety of products to make your facility safer and more organized. Use DYMO labelers to print colored vinyl labels, print safety labels and apply 5S standards in just a few easy steps, and print batches of durable polyester labels – perfect for tracking assets, marking beams and more.	See application guide Maintenance, Repair & Operations p 17
G General Organization – Labels used for files, binders, and identification, provide an efficient way to simplify the everyday work flow in and around the office.	DYMO offers a variety of labels including specific labels for folders, bins, shelves and media products to help quickly organize any space and increase efficiency. DYMO label makers and printers are designed with time-saving shortcuts, saving time and money.	See application guide General Identification p 19
M Mailing & Shipping – Quickly print address, shipping and postage labels on demand.	DYMO labelers integrate easily to meet mailing and shipping needs. Print address labels and 4-inch wide shipping labels. Use DYMO Label software to import your contacts from MS Outlook and Excel to create hundreds of labels in no time.	See application guide Mailing & Shipping p 21
V Visitor Management – For quick, on-demand printing of name badges help support the visitor check-in process.	Choose from a proven line of easy-to-integrate DYMO labelers that uniquely meet visitor management needs. No more messy ink cartridges or printing ribbons. Choose name badge labels made from paper or a durable polyester.	See application guide Visitor Management p 31

5S Visual Workplace

What is 5S?

5S is a key component to the “visual workplace” system where workers are presented with important visual information in the locations, and at the times, it is needed within a facility. The purpose of the 5S system is to organize a workspace in the most efficient and effective means possible. This can be achieved by identifying, using, and storing items in a standardized manner that is understood and adhered to by all team members.

Why label for 5S?

A cost effective and efficient way to implement 5S practices in any facility, labeling can facilitate:

- Color-coding for quick visual reference
- Identification of assets, workspaces, etc.
- Uniform communication throughout the facility




Benefits of implementing

- Increased worker productivity
- Reduced costs associated with loss and breakage
- Creates an overall safer work environment

Breaking down the 5S system

The 5S's	What does it mean?	How to implement?
Sort	Eliminate all unnecessary tools, parts, and instructions	<ul style="list-style-type: none"> • Color code with labels • Designate workspaces
Straighten	Arrange tools, parts, and instructions so they all have a clearly marked "home". Items used most frequently should be the easiest and quickest to access.	<ul style="list-style-type: none"> • Label both the tool and its designated home space
Shine	Clean all workspaces and equipment, keeping everything clean, tidy, and organized	<ul style="list-style-type: none"> • Set a designated time to clean an area
Standardize	Set uniform procedures and workstations through the facility to promote interchangeability	<ul style="list-style-type: none"> • Create standardized workstations • Train on maintaining work areas
Sustain	Enforce adherence of all rules and procedures to prevent unfavorable practices from returning	<ul style="list-style-type: none"> • Implement regular audits



5S Solutions from DYMO

Meet your 5S needs with industrial labeling solutions from DYMO. Designed to work exclusively with DYMO label makers, DYMO XTL™ and IND labels are tough - jobsite tested and UL recognized. Whether you're labeling to OSHA, ISO and ANSI color standards or labeling in harsh conditions, DYMO XTL and IND labels have you covered.



Recommended labels for 5S

Additional sizes and colors available. Visit dymo.com for details.



XTL All-Purpose Vinyl and IND Vinyl Labels

Ideal for indoor/outdoor applications

- UL recognized as a component to UL 969
- RoHS compliant
- UV, water, oil and chemical resistant
- Temperature rating -40°F to 176°F
- XTL length 23 ft.
- IND length 18 ft.



LABELS

IND Embossing Labels

For heavy-duty extreme condition labeling

- Ideal for marking pipelines, underground cables, engine parts, building materials and more
- Compatible with Rhino M1011 Embosser Kit only

Available Colors



Asset Tracking

What is asset tracking?

Asset tracking refers to the process by which many organizations track the movement of physical assets within their facilities.

Some organizations choose to manage their process with special asset tracking software that can be paired with barcode labels to facilitate easy scanning of an asset. When using barcode labels it is important to consider a variety of criteria before selecting a label:

- Will the label accommodate a barcode?
- What type of environmental conditions will the label have to stand up to?
- Will the label stick to the surface it will be applied to?
- Will the text printed on the label smear or fade over time?



Implementing asset tracking can help to:

- Reduce loss of items
- Manage assets
- Increase productivity
- Improve audits

Commonly tracked items include:



Inventory



Tools



Equipment



IT Assets



Importance of barcode labeling

Regardless of an operation's size, tracking and managing assets using barcodes can be an inexpensive and efficient way to ensure items are in order and accounted for.

DYMO® provides a full suite of labelers capable of printing a variety of barcode symbologies. Use the chart below to determine the DYMO product best suited to meet your barcoding needs.

Barcode Symbology / Product	XTL™ 500	XTL™ 300	LabelManager 420P	LabelWriter Wireless	LabelWriter 4XL	Rhino® 4200	Rhino® 5200
ITEM #	kit 1868815	1868813 kit 1868814	1768815	Wht 1981698 Blk 2002150	1755120	1801611 kit 1835374	1755749 kit 1756589
Code 39 w/Mod 43	✓	✓	✓*	✓	✓	✓*	✓*
Code 39	✓*	✓*	–	–	–	–	–
Code 128	✓*	✓*	✓*	✓	✓	✓*	✓*
Interleaved 2 of 5	–	–	✓	✓	✓	–	–
UPCA	✓	✓	✓*	✓	✓	–	–
UPC E	–	–	✓*	✓	✓	–	–
EAN 8	✓*	✓*	✓*	✓	✓	–	–
EAN 13	✓*	✓*	✓*	✓	✓	–	–
Codabar	✓*	✓*	✓	✓	✓	–	–
UCC/EAN 128	–	–	✓	✓	✓	–	–
ITF-14	–	–	✓	✓	✓	–	–
PDF 417	✓*	✓*	✓	✓	✓	–	–
QR Code	✓*	✓*	✓	✓	✓	–	–
DYMO Software Compatibility	DYMO ID	DYMO ID	DYMO Label	DYMO Label	DYMO Label	–	–

* Barcode can be printed directly from label maker without PC connection.

Asset Tracking Solutions from DYMO

DYMO offers a full range of products to let you choose from a variety of barcode symbologies and label formats to help make identifying and tracking assets in your organization easy.



Feature / Product	XTL™ 500	XTL™ 300	LabelManager 420P	LabelWriter Wireless	LabelWriter 4XL	Rhino 4200	Rhino 5200
ITEM #	kit 1868815	1868813 kit 1868814	1768815	Wht 1981698 Blk 2002150	1755120	1801611 kit 1835374	1755749 kit 1756589
Label Width (up to)	2"	1"	3/4"	LW 2.3"	4"	3/4"	3/4"
Label Compatibility	XTL	XTL	D1	LW	LW	IND	IND
PC Connectivity	PC	PC	PC, Mac	PC, Mac	PC, Mac	PC	PC

Recommended labels for Asset Tracking

Additional sizes and colors available. Visit dymo.com for details.



XTL All-Purpose and IND Vinyl Labels
Ideal for indoor and outdoor applications.

- UL recognized as a component to UL 969
- RoHS compliant
- UV, water, oil and chemical resistant
- Temperature rating: -40°F to 176°F
- XTL length: 23 ft.
- IND length: 18 ft.



Available Colors



XTL Permanent Flat Surface
IND Permanent Polyester
Professional, polished finish. Ideal for flat surfaces.

- UL recognized as a component to UL 969
- RoHS compliant
- UV, water, oil and chemical resistant
- Temperature Rating: -40°F to 302°F
- XTL length: 29.8 ft.
- IND length: 18 ft.

Available Colors



XTL Pre-Sized Labels
Ideal for flat surface labeling.

- Help facilitate batch label printing
- UL recognized as a component to UL 969
- RoHS compliant
- Temperature Rating: -40°F to 302°F

Available Color



D1 Standard
Suitable for many tasks and can be removed without leaving residue. Made of polyester.

- UV and water resistant
- Temperature rating: -40°F to 194°F

D1 Durable
Industrial-strength adhesive helps ensure labels stay stuck to a variety of sources

- Indoor/outdoor water-resistant design withstands UV light, heat, humidity, household cleaners, and freezing conditions
- Ideal for labeling kitchens, pantries, utility cupboards, laundry rooms, workshops, or garages
- Length: 10 ft., unless indicated by *
- * Length is 18 ft.



LW Labels

- For use in LabelWriter series printers
- Uses a direct thermal printing process
- Permanent white paper or polypropylene labels, ideal for most labeling jobs

LW Industrial Durable

- Industrial-strength adhesive sticks securely to challenging surfaces like metal tread plate, textured PVC, wood, glass, and more
- Protective coating prevents peeling from abrasion, as well as industrial oils and cleaners
- Ideal for labeling shelves, warehousing, chemical storage, floor markers, equipment/inventory, and more

Barcodes

Why use barcodes?

The use of barcodes is a common practice in many industries because of their ability to store and help organize varying amounts and types of data. When linked to a database, barcodes can also help to expedite recall and updates of information for a more efficient workflow. Using barcodes supports the fast identification of items which can help to:

- Reduce human error
- Increase productivity
- Manage assets
- Improve audits

Common applications:

Originally developed to identify railroad cars in the 1960s, the use of barcodes and barcode labels has evolved to span a variety of industries and applications.



When selecting a barcode label, be sure to ask the following questions:

- Will the label size accommodate a barcode?
- What type of environmental conditions will the label have to stand up to?
- Will the label adhere to the selected surface?



Retail



Asset Tracking



Inventory



Shipping











Healthcare





Barcode Symbolologies

- Linear barcodes (1D): made up of lines and spaces to create patterns (ex. UPC code)
- Matrix barcodes (2D): can store much more data than a linear barcode in a smaller amount of space (ex. QR code)

Below are examples of the barcode symbolologies supported by DYMO® products.

Barcode Symbolology	Common Uses
Code 39 (Code 3 of 9)  ABC-1234	<ul style="list-style-type: none"> • Name badges • Inventory • Industrial applications • Required for government and Dept of Defense
Code 128  ABC-AB12-1234	<ul style="list-style-type: none"> • Used worldwide • Compact in size
Interleaved 2 of 5  12345678	<ul style="list-style-type: none"> • Warehouses • Distribution • Industrial applications
UPC A  7 17010 59352 10	<ul style="list-style-type: none"> • Point of sale trade items

Barcode Symbolology	Common Uses
UPC E  01 123456 1111	<ul style="list-style-type: none"> • Point of sale trade items • Used when space is limited
EAN 8  19031 1017	<ul style="list-style-type: none"> • Point of sale trade items • Used when space is limited • Indicates the country in which the company that sells the product is based
EAN 13  01 123456 789012	<ul style="list-style-type: none"> • Point of sale trade items • Indicates the country in which the company that sells the product is based
Codabar  ABC1234567890	<ul style="list-style-type: none"> • Libraries • Blood banks • Air parcels

Barcode Symbolology	Common Uses
GS1-128 (UCC/EAN128)  01123456789012345	<ul style="list-style-type: none"> • Storing information like dates, batch numbers, quantities, weight, etc.
ITF-14  12345678901234	<ul style="list-style-type: none"> • Storing Global Trade Item numbers; used on product packaging configurations (shipping case, pallet, etc.)
PDF417 	<ul style="list-style-type: none"> • Transport • Identification cards • Inventory management
QR Code 	<ul style="list-style-type: none"> • Asset tracking • Document management • Marketing and advertising • Links to websites

Barcode Solutions from DYMO®

Easy-to-use DYMO label makers and label printers support a variety of barcode symbologies and label types. Use the reference chart below to determine the right DYMO product for your barcoding needs.



Barcode Symbology / Product	XTL™ 500	XTL™ 300	LabelManager® 420P	LabelWriter® Wireless	LabelWriter® 4XL	Rhino™ 4200	Rhino™ 5200
ITEM #	kit 1868815	1868813 kit 1868814	1768815	Wht 1981698 Blk 2002150	1755120	1801611 kit 1835374	1755749 kit 1756589
Code 39 w/Mod 43	✓*	✓*	✓*	✓	✓	✓*	✓*
Code 39	✓*	✓*	–	–	–	–	–
Code 128	✓*	✓*	✓*	✓	✓	✓*	✓*
Interleaved 2 of 5	–	–	✓	✓	✓	–	–
UPC A	✓*	✓*	✓*	✓	✓	–	–
UPC E	–	–	✓*	✓	✓	–	–
EAN 8	✓*	✓*	✓*	✓	✓	–	–
EAN 13	✓*	✓*	✓*	✓	✓	–	–
Codabar	✓*	✓*	✓	✓	✓	–	–
UCC/EAN 128	–	–	✓	✓	✓	–	–
ITF-14	–	–	✓	✓	✓	–	–
PDF 417	✓*	✓*	✓	✓	✓	–	–
QR Code	✓*	✓*	✓	✓	✓	–	–

* Barcode can be printed directly from label maker without PC or Mac connection.

Recommended labels for Barcodes



- XTL All-Purpose Vinyl and IND Vinyl Labels**
Ideal for indoor and outdoor applications
- UL recognized as a component to UL 969
 - RoHS compliant
 - UV, water, oil and chemical resistant
 - Temperature Rating -40°F to 178°F
 - XTL label length 23 ft.
 - IND label length 18 ft.

Available Colors



- XTL Permanent Flat Surface and IND Permanent Polyester Professional Polished finish**
Ideal for flat surfaces
- UL recognized as a component to UL 969
 - RoHS compliant
 - UV, water, oil and chemical resistant
 - Temperature Rating -40°F to 302°F
 - XTL label length 29.8 ft.
 - IND label length 18 ft.

Available Colors



Additional sizes and colors available. Visit dymo.com for details!

XTL Pre-Sized Labels

- Ideal for flat surface labeling
- Help facilitate batch label printing
 - UL recognized as a component to UL 969
 - RoHS compliant
 - Temperature Rating -40°F to 302°F

Available Color



D1 Standard

- Suitable for many tasks and can be removed without leaving residue. Made of polyester
- UV and water resistant
 - Temperature Rating -40°F to 194°F



LW Labels

- For use in LabelWriter series printers
- Uses a direct thermal printing process
- Permanent white paper or polypropylene labels ideal for most labeling jobs

Cable & Wire

Cable and wire identification refers to the markers or labels that are typically affixed to a cable or wire for identification purposes. These markers provide a quick and easy way to identify a cable or wire and can be placed in a location that is easy to read, even in hard-to-reach areas.

Benefits of implementing

- Helps facilitate quick and easy identification of wires and cables
- Helps reduce repair time by eliminating the need to guess what a wire or cable is for
- Helps minimize down time from repairs that could take longer than expected if cables remain unidentified



The most common type of cable/wire markers are:



Flags

- Ideal for identifying thin wires
- Provides a flat surface for placement of text, barcodes, etc.
- Recommended material: vinyl



Wraps

- Information is repeated on the label so it can be read on any side of the cable/wire
- Recommended material: vinyl, flexible nylon, and flexible cable wrap



Heat-Shrink Tubes

- Provides a permanent way to mark a cable or wire
- 3:1 shrink ratio ensures a secure fit

What size heat-shrink tube do I need?

Heat-shrink tubes vary in width, so the easiest way to determine the size of tube needed is to know the diameter of the wire or cable being identified. Use the chart below to help determine the size of DYMO® heat-shrink tube needed for your wire or cable.

DYMO Heat-Shrink Tubes meet the following certifications:

- UL recognized as a component to UL 224
- Meets MIL-STD-202, MIL-M-81531 and SAE-DTL 23053/5 (Class & 3)
- RoHS compliant

DYMO Heat-Shrink Tube Width		Minimum Cable Diameter		Maximum Cable Diameter		Minimum AWG	Maximum AWG
in	mm	in	mm	in	mm		
0.250	6	0.050	1,24	0.14	3,50	16	7
0.375	9	0.075	1,910	0.226	5,730	12	4
0.500	12	0.12	3,00	0.28	7,20	8	1
0.750	19	0.159	4,032	0.476	12,096	6	4/0+
1.000	24	0.22	5,50	0.57	14,50	3	4/0+
2.000	54	0.46	11,50	1.27	34,06	3	4/0+
2.125	54	0.46	11,50	1.27	32,3	3	4/0+

Cable & Wire Solutions from DYMO

Designed based on input from professionals, DYMO industrial labelers are tough, affordable and long-lasting. They're loaded with convenient features that speed up your productivity - and help you save time and money every day.



XTL™ 500
kit 1868815

XTL™ 300
single 1868813 | kit 1868814

Rhino™ 5200
single 1755749 | kit 1756589

Rhino™ 4200
single 1801611 | kit 1835374

Recommended labels for Cable & Wire

Additional sizes and colors available. Visit dymo.com for details.



XTL All-Purpose Vinyl and IND Vinyl Labels
Ideal for both indoor and outdoor applications.

- UL recognized as a component to UL 969
- RoHS compliant
- UV, water, oil and chemical resistant
- Temperature rating -40°F to 176°F
- XTL length 23 ft.
- IND length 18 ft.

Available Colors



XTL Flexible Cable Wrap and IND Flexible Nylon
Specifically designed for curved surfaces and wire and cable marking

- UL recognized as a component to UL 969
- RoHS compliant
- Temperature rating -40°F to 176°F
- XTL length 18 ft.
- IND length 11.5 ft.

Available Colors



- XTL Heat-Shrink Tube (Continuous and Pre-Sized) and IND Heat-Shrink Tube
For high-end cable identification. A 3:1 shrink ratio helps ensure a secure fit on wires and cables.
- UL recognized as a component to UL 224
- Meets MIL-STD-202, MIL-M-81531 and SAE-DTL 23053/5 (Class 1 & 3)
- RoHS compliant
- Temperature rating -67°F to 275°F
- XTL length Varied
- IND length 5 ft.

Available Colors



XTL Laminated Wire/Cable Wrap and IND Self-Laminating

- Pre-sized wire/cable wraps with laminated overwrap protect printed areas from oil, chemicals, moisture, abrasion and fading.
- XTL wraps also available in sheet label formats
- UL recognized as a component to UL 969
- RoHS Compliant
- Temperature rating -40°F to 176°F

Available Color



*Black on yellow offered for IND Heat-Shrink Tube and IND Flexible Nylon labels only.

The information contained in this Cable & Wire Guide is being provided for general information purposes only and the certifications referenced herein are based on current standards which are subject to change.

Electrical

Promote safety and productivity with labeling.

The proper labeling and identification of electrical components is an easy and effective way to promote safety and productivity in any facility. Proper identification of cables and panels allows for efficient navigation of electrical installations; while the use of safety signage can help to prevent injuries that are commonly associated with the improper use of personal protective equipment (PPE).

▶ A properly labeled electrical installation will:

- Facilitate quick identification of electrical infrastructures for trouble shooting and repairs
- Help ensure power is disabled when servicing live installations
- Assist in meeting ANSI and ISO standards
- Help inform workers of PPE to be used around the installation as well as proper shutdown procedures



DYMO offers labeling solutions for a variety of electrical applications:



Cables & Wires

- Print identifiers directly on heat-shrink tubes; ideal for identifying wires that require insulating properties
- Heat-shrink tubing is UL recognized as a component to UL 224
- Recommended material: heat-shrink tube



Safety & Warning

- Color-coded labels (orange, yellow and red) clearly identify potential safety risks associated with equipment being serviced
- Durable enough to withstand water, chemical, heat, corrosion or any other environment to which they may be exposed
- Recommended material: pre-sized safety and vinyl



Panel ID

- Ensures each panel will communicate accurate information, eliminating fear of losing panel ID cards
- Vinyl is UL 969 rated; approved for electrical panel usage – indoor and outdoor
- Recommended material: vinyl

What size heat-shrink tube do I need?

Heat-shrink tubes vary in width, so the easiest way to determine the size of tube needed is to know the diameter of the wire or cable being identified. Use the chart below to help determine the size of DYMO® heat-shrink tube needed for your wire or cable.

DYMO heat-shrink tubes meet the following certifications:

- UL recognized as a component to UL 224
- Meets MIL-STD-202, MIL-M-81531 and SAE-DTL 23053/5 (Class & 3)
- RoHS compliant

DYMO Heat-Shrink Tube Width		Minimum Cable Diameter		Maximum Cable Diameter		Minimum AWG	Maximum AWG
in	mm	in	mm	in	mm		
0.250	6	0.050	1,24	0.14	3,50	16	7
0.375	9	0.075	1,910	0.226	5,730	12	4
0.500	12	0.12	3,00	0.28	7,20	8	1
0.750	19	0.159	4,032	0.476	12,096	6	4/0+
1.000	24	0.22	5,50	0.57	14,50	3	4/0+
2.000	54	0.46	11,50	1.27	32,3	3	4/0+
2.125	54	0.46	11,50	1.27	32,3	3	4/0+

Electrical Solutions from DYMO®

Designed based on input from professionals, DYMO industrial labelers and labels are tough, affordable and long-lasting. They're loaded with convenient features that speed up your productivity – and help you save time and money every day.



Recommended labels for Electrical

Additional sizes and colors available. Visit dymo.com for details.



XTL All-Purpose Vinyl and IND Vinyl Labels
Ideal for both indoor and outdoor applications

- UL recognized as a component to UL 969
- RoHS compliant



LABELS

- Temperature rating -40°F to 176°F
- XTL length 23 ft.
- IND length 18 ft.

Available Colors



XTL and IND Heat-Shrink Tube
For high-end cable identification a 3:1 shrink ratio helps ensure a secure fit on wires and cables

- UL recognized as a component to UL 224
- RoHS compliant
- Temperature rating -67°F to 275°F
- XTL length Varied
- IND length 15 ft.
- Meets MIL-STD-202, MIL-M-81531 and SAE-DTL 23053/5 (Class 1 & 3)

Available Colors



XTL Flexible Cable Wrap and IND Flexible Nylon
Specifically designed for curved surfaces and wire and cable marking

- UL recognized as a component to UL 969
- RoHS compliant
- Temperature rating -40°F to 176°F
- XTL length 18 ft.
- IND length 1.5 ft.

Available Colors



XTL Pre-Sized Safety Labels

Specific labels with colored headers including labels pre-printed with DANGER and NOTICE headers for on-demand printing of small format safety signage

- UL recognized as a component to UL 969
- RoHS compliant
- Temperature rating -40° to 176°F
- Size: 2 in. x 4 in.

Available Colors



*Black on yellow offered for IND Heat-Shrink Tube and IND Flexible Nylon labels only.
The information contained in this Electrical Guide is being provided for general information purposes only and is based on current standards. Such standards and corresponding certifications are subject to change.

Maintenance, Repair & Operations

What is MRO?

Maintenance, Repair and Operations, or MRO, ensures the proper operation and organization of all aspects of a building to create an optimal, safe and cost-effective environment for occupants. Regardless of how the facility is being used, the structure and equipment that keep its occupants comfortable and safe must be maintained on a daily basis.

Using proper and effective identification can help to:


- Maintain a clean, well-organized and consistent appearance
- Optimize functionality
- Increase productivity and longevity of assets



DYMO labels create order and efficiency within facilities:



Equipment Asset Tracking
Barcode labels identify and track equipment, helping to maintain organization and inventory of assets.



Racks & Shelving
Use labels to aid in quick location and identification.



Safety
Color-coded and pre-sized safety labels applied throughout a facility can help alert employees to use caution or warn of potential dangers.



Cable/Wire Management
Use of flags, wraps and heat-shrink tube labels on wires and cables facilitate quick and easy identification, minimizing down time and saving time in repairs.



Material Management
UV, water, oil and chemical-resistant labels clearly identify materials from the point of procurement through waste disposal, accountability, quality control, standards compliance and inventory reporting.

Color-coded labeling to meet OSHA standards

The Occupational Safety & Health Administration (OSHA) requires the use of proper labeling and identification throughout facilities. DYMO labels can help to implement the applicable standards. For more information on OSHA labeling standards, visit www.osha.gov.



MRO Solutions from DYMO

DYMO offers a full range of printers to let you choose from a variety of label formats and barcode symbologies to help make identification and tracking assets in your organization easy. Designed to work exclusively with XTL™ and Rhino™ label makers, DYMO XTL and IND labels are tough—jobsite tested and UL recognized. Whether you're labeling to OSH A, ISO or ANSI color standards or labeling in harsh conditions, DYMO XTL and IND labels have you covered.



Feature / Product	LabelWriter Wireless	LabelWriter 4XL	Rhino M1011	Rhino 4200	Rhino 5200	XTL 500	XTL 300
ITEM #	Wht 1981698 Blk 2002150	1755120	kit 101105	1801611 kit 1835374	1755749 kit 1756589	kit 1868815	1868813 kit 1868814
Label Width (up to)	LW 2.3"	4"	1/2"	3/4"	3/4"	2"	1"
Label Compatibility	LW	LW	IND Embossing	IND	IND	XTL	XTL
PC Connectivity	PC, Mac	PC, Mac	—	—	—	PC	PC

Recommended labels for Maintenance, Repair & Operations

Additional sizes and colors available. Visit dymo.com for details.



XTL All-Purpose and IND/Vinyl Labels
Ideal for both indoor and outdoor applications
– UL recognized as a component to UL 969



LABELS

– RoHS compliant
– Temperature Rating -40°F to 176°F
– XTL length 23 ft.
– IND length 18 ft.

Available Colors



XTL Pre-Sized Labels

Ideal for flat surface labeling
– Help facilitate batch label printing
– UL recognized as a component to UL 969
– RoHS compliant
– Temperature Rating -40°F to 302°F

Available Color



XTL Pre-Sized Safety Labels

Specific labels with colored headers including labels pre-printed with DANGER and NOTICE headers for on-demand printing of small format safety signage
– UL recognized as a component to UL 969
– RoHS compliant
– Temperature Rating -40°F to 176°F
– Size 2 in. x 4 in.

Available Colors



IND Embossing Labels

– For heavy-duty extreme condition labeling
– Ideal for marking pipelines, underground cables, engine parts, building materials and more
– Compatible with Rhino M11 Embosser Kit only



LW Labels

– For use in LabelWriter label printers
– White paper labels ideal for indoor application
– Packaged in rolls

General Identification

Why does office organization matter?

Establishing processes and procedures are essential to the success of any business, but one item that is often overlooked is office organization. From finding the right files and drawers to helping colleagues book the right meeting room, general organization and identification provides an efficient way to simplify the everyday working life in and around the office.

Some ways to increase efficiency and help save time include:

- **COLOR CODING**
Use different color labels to differentiate items (e. show what kind of material they contain or confidentiality)
- **QUICKER IDENTIFICATION**
Label to help name and identify filing cabinets, DVD cases and more
- **TRACK OR NOTIFY**
Label equipment, signage and instruction labels to improve people or asset flow, enabling people and assets to move around in buildings within an organized, comfortable and safe way



Additional ideas for labeling around the office include:



Files & Folders



Binders



Drawers



Shelves



Books



Media Storage



Building Infrastructure



Equipment

General Identification Solutions from DYMO®

Keep any office organized, efficient and under control with DYMO Label Writer® and LabelManager® labelers and labels.

- DYMO offers easy-to-use products with an intuitive interface to help you label quickly and easily
- Create customized labels with many fonts, styles, graphics, barcodes and more
- Labels are available in many different sizes and colors suited for every application in the office



LabelManager 160
Easy-to-Use Label Maker with
One-Touch Smart Keys
ITEM # 1790415



LabelManager 280
Rechargeable Handheld
Label Maker with PC or
Mac® Connection
ITEM # 1815990



MobileLabeler
Easy Labeling with
your Smartphone
ITEM # 1982171



LabelManager PnP
Plug and Play Label
Maker for PC or Mac
ITEM # 1768960



LabelWriter Wireless
Print Labels without
Cables Using Wi-Fi
ITEM # BIK 2002150
Whit 1981698



D1 Standard

- For use in LabelManager labelers
- Ideal for indoor or outdoor applications
- “Easy Peel” backing ensures trouble-free application
- Available in 12 different colors and 5 widths
- Length: 23 ft.



D1 Durable

- Industrial-strength adhesive helps ensure labels stay stuck to a variety of sources
- Indoor/outdoor water-resistant design withstands UV light, heat, humidity, household cleaners, and freezing conditions
- Ideal for labeling kitchens, pantries, utility cupboards, laundry rooms, workshops, or garages
- Length: 10 ft., unless indicated by *



LW Labels

- For use in LabelWriter label printers
- White paper labels, ideal for indoor applications
- Packaged in rolls



LW Durable Home/Office Labels

- Industrial-strength adhesive helps ensure labels stay stuck to paper, plastic, metal, wood, glass, and more
- Protective coating prevents peeling from moisture, acetone, alcohol, and common cleaners
- Ideal for labeling break rooms, basements, garages, and classrooms



D1 STANDARD LABELS

Label Color	1/4"	3/8"	1/2"	3/4"	1"
A	43613	41913	45013 2025518 (4 pack) 2025517 (6 pack)	45803	53713
A	43610	40910	40510	45800	53710
A	–	–	45018	45808	53718
A	–	–	45016	–	–
A	–	–	45019	–	–
A	–	–	45017	–	–
A	–	–	45020	45810	–
A	–	–	45021	45811	53721
A	–	40914	45014	–	–
A	–	–	45015	45805	–
A	–	–	45012	45802	–

D1 DURABLE LABELS

Label Color	1/2"
BLACK ► WHITE *	1978364
BLACK ► ORANGE	1978367
WHITE ► BLACK	1978365
WHITE ► RED	1978366

* Length is 18 ft. (5.5 m) for label.

LW LABELS

Label Type	Item #	Size	Labels/Roll/Box	Adhesive/Material
File Folder Label, 1-Up	30327	9/16" x 3-7/16"	130/Roll, 1/Box	Permanent/Paper
File Folder Label, 2-Up	30277	9/16" x 3-7/16"	260/Roll, 1/Box	Permanent/Paper
Hanging File Tab Insert (1/5 cut)	30376	9/16" x 2"	260/Roll, 1/Box	Permanent/Paper
CD/DVD Label	30854	2-1/4" Diameter	160/Roll, 1/Box	Permanent/Paper
Large Multi-Purpose	30324	2-1/8" x 2-3/4"	320/Roll, 1/Box	Permanent/Paper
Square Multi-Purpose	30332	1" x 1"	750/Roll, 1/Box	Permanent/Paper
Small Multi-Purpose	30336	1" x 2-1/8"	500/Roll, 1/Box	Permanent/Paper
Medium Multi-Purpose	30334	2-1/4" x 1-1/4"	1000/Roll, 1/Box	Permanent/Paper

LW DURABLE HOME/OFFICE LABELS

Label Type	Item #	Size	Labels/Roll/Box	Adhesive/Material
Address Label	1976200	1" x 3-1/2"	100/Roll, 1/Box	Ultra-Permanent/Polyester
Multi-Purpose	1976411	1" x 2-1/8"	160/Roll, 1/Box	Ultra-Permanent/Polyester
Large Address Label	1976414	2-5/16" x 4"	50/Roll, 1/Box	Ultra-Permanent/Polyester

Mailing & Shipping

Helping to improve efficiency in any mail and shipping department.

Despite the digitalization of today's world, sending and receiving mail and packages is still an everyday necessity for most businesses. The process of sending out mailings can be a time-consuming job so it's important that it happens in the most productive, efficient and professional way possible.

Using DYMO® label printers and labels for your mailing and shipping process can help you save time and have your business mailing like a pro in no time. When you use DYMO you can enjoy these great benefits:

- Professional looking – printed address labels eliminate handwriting errors
- Print the precise number of mailing or shipping labels needed – without the waste you can have with inkjet or laser sheet labels
- Self-adhesive labels – this means no more cutting and taping labels
- No expensive ink or toner required – the DYMO Label Writer® 450 Series label printer uses smudge-proof thermal printing technology



▶ Create your own desktop mailing solution


Combine any LabelWriter® label printer with any DYMO USB digital mailing or shipping scale to create a complete desktop mailing solution.



DYMO label printers are easy to use and can help tackle a variety of mailing and shipping needs including:



Address labels
Including return



Postage Labels
DYMO Stamps



Shipping Labels
Up to 4 x 6 inch

Shipping made even easier with FREE downloadable utility tools from:



Calculate and print postage easily

- 1 InstaRate™ Up-to-date postal rates
Calculate your postage costs with InstaRate, which includes USPS rates for mail and packages up to 70 lbs.
- 2 DYMO Stamps® The no-monthly-fee postage solution
DYMO Stamps software provides users with a quick and simple way to print USPS approved postage right from their desks. Skip time-consuming trips to the Post Office and get back to business. Downloadable via www.endiciacom/dymostamps

Mailing and shipping solutions from DYMO®

Connect a DYMO LabelWriter® label printer to your PC or Mac® and you're ready to print address labels, shipping labels and much more. These label printers make it easy to get first-class results. Thermal printing technology eliminates the cost of ink or toner and the hassle of sheet labels. Improved resolution graphics deliver crystal clear text, graphics and barcodes.



LabelWriter 450
Professional Label Printer
for PC and Mac
ITEM # 1752264



LabelWriter 450 Turbo
High-Speed Label Printer
for PC and Mac
ITEM # 1752265



LabelWriter 450 Twin Turbo
Dual Roll Label and Postage
Printer for PC and Mac
ITEM # 1752266



LabelWriter Wireless
Print Labels without
Cables Using Wi-Fi
ITEM # BIK 2002150
Wht 1981698



LabelWriter 4XL
Wide-Format, Heavy-Duty,
High-Speed Label Printer
ITEM # 1755120

Recommended labels for Mailing & Shipping

Visit dymo.com for more detail



LW Labels

- For use in LabelWriter label printers
- White paper labels, ideal for indoor applications
- Packaged in rolls

LW Durable Home/Office Labels

- Industrial-strength adhesive helps ensure labels stay stuck to paper, plastic, metal, wood, glass, and more
- Protective coating prevents peeling from moisture, acetone, alcohol, and common cleaners
- Ideal for labeling break rooms, basements, garages, and classrooms



Large Format Labels

- Available for LabelWriter 4XL only
- Ideal for oversized envelopes, priority mail packages and boxes
- Big enough to fit your return address, logo, as well as the recipient address all while meeting postal requirements



High-Capacity Labels

- Available for LabelWriter 4XL only
- Maximize efficiency and reduce down time, plan ahead with more labels per roll



LW LABELS

Label Type	Item #	Size	Labels/Roll/Box	Adhesive/Material
Address Labels, White	30252	1-1/8" x 3-1/2"	350/Roll, 2/Box	Permanent/Paper
Address Labels, White, 2-Up	30253	1-1/8" x 3-1/2"	700/Roll, 1/Box	Permanent/Paper
Address Labels, White	30251	1-1/8" x 3-1/2"	130/Roll, 2/Box	Permanent/Paper
Address Labels, White	30320	1-1/8" x 3-1/2"	260/Roll, 2/Box	Permanent/Paper
Address Labels, Clear	30254	1-1/8" x 3-1/2"	130/Roll, 2/Box	Permanent/Plastic
Address Labels, Yellow	30255	1-1/8" x 3-1/2"	130/Roll, 2/Box	Permanent/Paper
Large Address Labels, White	30321	1-4/10" x 3-1/2"	260/Roll, 2/Box	Permanent/Paper
Return Address Labels, White	30330	3/4" x 2"	500/Roll, 1/Box	Permanent/Paper
DYMO Stamps/Postage Labels	30915	1-5/8" x 1-1/4"	200/Roll, 1/Box	Permanent/Paper
3-Part Internet Postage Labels	30383	2-1/4" x 7"	150/Roll, 1/Box	Permanent/Paper
Shipping Labels	30323	2-1/8" x 4"	220/Roll, 1/Box	Permanent/Paper
Shipping Labels	30256	2-5/16" x 4"	300/Roll, 1/Box	Permanent/Paper
Extra Large Shipping Labels*	1744907	4" x 6"	200/Roll, 1/Box	Permanent/Paper
Extra Large Shipping Labels*	2026405	4" x 6"	220/Roll, 2/Box	Permanent/Paper
Extra Large Shipping Labels*	2026404	4" x 6"	220/Roll, 5/Box	Permanent/Paper
Extra Large Shipping Labels*	2011999	4" x 6"	220/Roll, 10/Box	Permanent/Paper
Poly Shipping Labels**	1763982	2-5/16" x 4"	250/Roll, 1/Box	Permanent/Polypropylene

* Only compatible with LabelWriter 4XL.

** Poly labels are resistant to water, moisture, oil, heat and tearing.


Networking Components

In today's competitive landscape, network labeling is critical.

From cables and wires to patch panels, 110 blocks and faceplates, there are a lot of components that go into a telecommunications infrastructure. A labeled infrastructure can save installers and IT professionals both time and money when it comes to maintenance, repairs and down time.

▶ A properly labeled network installation will:

- **SAVE YOU TIME**
Time invested up front can pay off when it comes time to change or repair a connection on the road
- **SAVE YOU MONEY**
Implement labeling and help take the guesswork out of maintenance and repairs while reducing the need for time consuming and costly toning
- **CREATE CONSISTENCY & FLEXIBILITY**
Labeling helps to ensure consistency across the installation and provide the flexibility to work with different contractors over the life of the network



Best practice for network labeling – TIA-606-C
Used throughout the industry, the Telecommunications Industry Association TIA-606-C standard defines a labeling standard that maps each cable in an installation precisely to the floor, telecom room and patch panel position or block where the cable terminates. For more information on TIA-606-C visit www.tiaonline.org

DYMO® offers a labeling solution for a variety of networking components including:



Wires & Cables



Patch Panels



Servers



Faceplates



Breakers & Modules



110 & Terminal Blocks



Save time with manufacturer templates

We've created label templates for equipment from Belken®, ComScope®, Leviton® and other leading manufacturers. Just open DYMO® ID, choose a template and add text to create labels that fit the equipment perfectly - no measuring required.

Networking Component Solutions from DYMO

DYMO XTL™ and Rhino™ industrial label makers are designed by installers for installers to help you properly label your network installations and meet all ANSI and TIA-606-C industry labeling standards.



XTL™ 500
kit 1868815

XTL™ 300
single 1868813 | kit 1868814

Rhino™ 5200
single 1755749 | kit 1756589

Rhino™ 4200
single 1801611 | kit 1835374

Recommended labels for Networking Components

Additional colors and sizes available. Visit dymo.com for details.



XTL All-Purpose and IND Vinyl Labels
Ideal for both indoor and outdoor applications
– UL recognized as a component to UL 969



IND
LABELS

– RoHS compliant
– Temperature rating -40°F to 176°F
– XTL length 23 ft.
– IND length 18 ft.

Available Colors



XTL and IND Heat-Shrink Tube

For high-end cable identification. A 3:1 shrink ratio helps ensure a secure fit on wires and cables.

– UL recognized as a component to UL 224
– Meets MIL-STD-202/MIL-M-81531 and SAE-DTL 23053/5 (Class 1 & 3)
– RoHS compliant
– Temperature rating -67°F to 275°F
– XTL length 8.9 ft.
– IND length 6 ft.

Available Colors



XTL Flexible Cable Wrap and IND Flexible Nylon
Specifically designed for curved surfaces and wire and cable marking

– UL recognized as a component to UL 969
– RoHS compliant
– Temperature rating -40°F to 176°F
– XTL length 18 ft.
– IND length 1.5 ft.

Available Colors



XTL Laminated Wire/Cable Wrap and IND Self-Laminating

Pre-sized wire/cable wraps with laminated overwrap protect printed areas from oil, chemicals, moisture, abrasion, and fading
– XTL wraps also available in sheet label format
– UL recognized as a component to UL 969
– RoHS Compliant
– Temperature rating -40°F to 176°F

Available Color



*Black on yellow offered for IND Heat-Shrink Tube and IND Flexible Nylon labels only.

The information contained in this Networking Components Guide is being provided for general information purposes only and is based on current standards. Such standards and any corresponding certifications are subject to change. This guide is not a substitute for review of the applicable standards, and should not be construed as legal advice or opinion. To obtain a copy of the latest TIA-606-C standard, visit www.tiaonline.org. All trademarks used herein are the property of their respective owners.

Pipe/Conduit Marking

Marking pipes to the ANSI/ASME A13.1 – 2007 Standard

This standard helps to ensure that the information pertaining to a pipe's content, direction of flow, etc. can be quickly seen and identified by anyone within a facility. Elements defined by this standard include the type of information required on pipe markers, as well as the color, size and placement of the markers.

This reference tool is intended to provide guidance in the creation of ANSI/ASME A13.1 – 2007 Standard pipe markers.



3 STEPS TO PROPER PIPE/CONDUIT MARKING

STEP 1 IDENTIFY THE CONTENTS AND FLOW DIRECTION OF THE PIPE
Based on the pipe contents, use the chart to determine the color of the label and label text that is needed

STEP 2 USE PIPE DIAMETER TO DETERMINE LABEL SPECIFICATIONS
The length of pipe marker and the size of the letter height on the marker are determined by the outside diameter of the pipe being labeled. Once the outside diameter of the pipe has been measured, use the chart to identify the size of the marker needed

STEP 3 PLACE MARKERS ON PIPE USING THE FOLLOWING GUIDELINES

- Use arrows at one or both ends of the label to indicate flow direction
- Ensure label placement is visible from the point of normal approach
- Place markers adjacent to any branches, walls, ceilings or floors
- Apply labels at intervals sufficient for identification on straight pipe runs (approx 25 feet)


1 MATERIAL PROPERTIES

FIRE QUENCHING	White on Red	→ SPRINKLER WATER →
TOXIC & CORROSIVE	Black on Orange	→ NITRIC ACID →
FLAMMABLE FLUIDS	Black on Yellow	→ HYDROGEN →
POTABLE WATER	White on Green	→ BOILER WATER →
COMPRESSED AIR	White on Blue	→ COMPRESSED AIR →
COMBUSTIBLE	White on Brown	→ ACETIC ACID →
DEFINED BY USER	White on Black	→ DEFINED BY USER →
DEFINED BY USER	White on Purple	→ DEFINED BY USER →
DEFINED BY USER	White on Gray	→ DEFINED BY USER →
DEFINED BY USER	Black on White	→ DEFINED BY USER →

EXAMPLE

2

PIPE MARKER SIZE CHART					
Outside Pipe Diameter		Minimum Label Length		Minimum Letter Height	
.75-1.25 in	19-32 mm	8 in	200 mm	.50 in	13 mm
1.50-2 in	38-51 mm	8 in	200 mm	.75 in	19 mm
2.50-6 in	64-150 mm	12 in	300 mm	1.25 in	32 mm
8-10 in	200-250 mm	24 in	600 mm	2.50 in	64 mm
> 10 in	> 250 mm	32 in	800 mm	3.50 in	89 mm



Pipe/Conduit Marking Solutions from DYMO®

Designed based on input from professionals, DYMO industrial labelers and labels are tough, affordable and long-lasting. They're loaded with convenient features that speed up your productivity – and help you save time and money every day.



XTL™ 500
kit 1868815

XTL™ 300
single 1868813 | kit 1868814



Recommended labels for Pipe/Conduit Marking

Additional colors and sizes available. Visit dymo.com for details.



XTL All-Purpose Vinyl Labels

Ideal for both indoor and outdoor applications

- Available in the widest range of ANSI and ISO color standards
- UL recognized as a component to UL 969
- RoHS compliant
- Temperature rating -40°F to 176°F
- Length 23 ft.

Available Colors



Pro AV/Security

Labeling for Pro AV/Security.

Tasked with the installation and maintenance of communications infrastructures, audiovisual and security professionals are managing many components. Everything from sound boards to video, lighting, and security systems are moving from analog to digital at a rapid pace. As this happens, the practice of labeling and implementing labeling standards like TIA-606-C can help to speed system maintenance and reduce down time.

▶ A properly labeled installation will:

- **SAVE YOU TIME**
Time invested up front can pay off when it comes time to change or repair a connection on the road
- **SAVE YOU MONEY**
Implement labeling and help take the guesswork out of maintenance and repairs
- **CREATE CONSISTENCY AND FLEXIBILITY**
Labeling helps to ensure consistency across the installation and provides the flexibility to work with different contractors over the life of the installation



DYMO® offers labeling solutions for a variety of needs including:



Cameras



Cables & Wires



Sound Board




Components



Faceplates



Patch Panels



Best practice for network labeling – TIA-606-C

Used throughout the industry, the Telecommunications Industry Association TIA-606-C standard defines a labeling standard that maps each cable in an installation precisely to the floor, telecom room and patch panel position or block where the cable terminates. For more information on TIA-606-C visit www.tiaonline.org

Pro AV/Security Solutions from DYMO®



DYMO XTL™ and Rhino™ industrial label makers are designed by installers for installers to help you properly label your installations and meet all ANSI and TIA-606-C industry labeling standards.



							
XTL™ 500 kit 1868815		XTL™ 300 single1868813 kit 1868814		Rhino 5200 single1755749 kit 1756589		Rhino 4200 single1801611 kit 1835374	

Recommended labels for Pro AV/Security

Additional colors and sizes available. Visit dymo.com for details.

-  XTL All-Purpose and IND Vinyl Labels
Ideal for both indoor and outdoor applications
 - UL recognized as a component to UL 969
-  IND LABELS
 - RoHS compliant
 - Temperature rating -40°F to 176°F
 - XTL length 23 ft.
 - IND length 18 ft.

Available Colors



- XTL Continuous and Pre-Sized Heat-Shrink Tube
- IND Heat-Shrink Tube
- For high-end cable identification a 3:1 shrink ratio helps ensure a secure fit on wires and cables
 - UL recognized as a component to UL 224
 - Meets MIL-STD-202, MIL-M-81531 and SAE-DTL 23053/5 (Class 1 & 3)
 - RoHS compliant
 - Temperature rating -67°F to 275°F
 - XTL: Varied
 - IND 5 ft.

Available Colors



- XTL Flexible Cable Wrap and IND Flexible Nylon
- Specifically designed for curved surfaces and wire and cable marking
 - UL recognized as a component to UL 969
 - RoHS compliant
 - Temperature rating -40°F to 176°F
 - XTL length 23 ft.
 - IND length 18 ft.

Available Colors



- XTL Laminated Wire/Cable Wrap and IND Self-Laminating
- Pre-sized wire/cable wraps with laminated overwrap protect printed areas from oil, chemicals, moisture, abrasion and fading
 - XTL wraps also available in sheet label formats
 - UL recognized as a component to UL 969
 - RoHS Compliant
 - Temperature rating -40°F to 176°F

Available Color



*Black on yellow offered for IND Heat-Shrink Tube and IND Flexible Nylon labels only.

The information contained in this Pro AV/Security Guide is being provided for general information purposes only and is based on current standards and any corresponding certifications are subject to change. This guide is not a substitute for review of the applicable standard, and should not be construed as legal advice or opinion. To obtain a copy of the latest TIA-606-C standard, visit www.tiaonline.org

Retail & Food Service

The right label makes a big difference.

In a retail or food service environment it is important to ensure that employees and patrons can find what they're looking for. Labeling is a cost-effective way to organize and identify items so they can be found quickly and easily. From barcode labels that capture product and pricing information to inventory labels and file folder labels for the back office, DYMO® can provide a solution to meet the needs of any operation.

Some ways in which labeling can be used include:

- COLOR CODING**
 Help organize an operation and prevent cross-contamination with colored labels. DYMO offers a variety of durable colored labels that can aid in implementing an HACCP* color coding system.
- BARCODING**
 Use barcode labels with automated inventory and POS systems to help streamline manual input, increase productivity and reduce errors.
- STOCK/INVENTORY IDENTIFICATION**
 Printed labels help workers easily identify the location of goods and minimize out-of-stock issues.
- GENERAL OFFICE IDENTIFICATION**
 Label files and binders to help make bookkeeping easy and efficient.



Hazard Analysis Critical Control Point (HACCP) Standardized Color System*

Color	Used to Identify
Yellow	Poultry
Red	Beef
Green	Produce
Blue	Seafood
Tan	Cooked Meats
White	Dairy and Cheese

Additional ideas for labeling include:



Files & Storage



Binders



Shelving



Inventory



Food Storage



Server Station



Work Flow



Product

Retail & Food Service Solutions from DYMO®

Keep any operation organized, efficient and under control with DYMO Label Writer® and LabelManager® labelers and labels.

- DYMO offers easy-to-use products with an intuitive interface to help you label quickly and easily
- Create customized labels with many fonts, styles, graphics, barcodes and more
- Labels are available in many different sizes and colors suited for every application in the office



LabelManager 160
Easy-to-Use Label Maker with
One-Touch Smart Keys
ITEM # 1790415



LabelManager 280
Rechargeable Handheld
Label Maker with PC or
Mac® Connection
ITEM # 1815990



LabelWriter Wireless
Print Labels without
Cables Using Wi-Fi
ITEM # Blk 2002150
Whit 1981698



LabelWriter 450 Turbo
High-Speed Label Printer
for PC and Mac
ITEM # 1752265



LabelManager PnP
Plug and Play Label
Maker for PC or Mac
ITEM # 1768960



D1 Standard

- For use in LabelManager labelers
- Ideal for indoor or outdoor applications
- “Easy Peel” backing ensures trouble-free application
- Available in 12 different colors and 5 widths
- Length: 23 ft.



D1 Durable

- Industrial-strength adhesive helps ensure labels stay stuck to a variety of sources
- Indoor/outdoor water-resistant design withstands UV light, heat, humidity, household cleaners, and freezing conditions
- Ideal for labeling kitchens, pantries, utility cupboards, laundry rooms, workshops, or garages
- Length: 10 ft., unless indicated by *



LW Labels

- For use in LabelWriter label printers
- White paper labels, ideal for indoor applications
- Packaged in rolls

LW Durable Home/Office Labels

- Industrial-strength adhesive helps ensure labels stay stuck to paper, plastic, metal, wood, glass, and more
- Protective coating prevents peeling from moisture, acetone, alcohol, and common cleaners
- Ideal for labeling break rooms, basements, garages, and classrooms

D1 STANDARD LABELS					
Label Color	1/4"	3/8"	1/2"	3/4"	1"
A	43613	41913	45013 2025518 (4 pack) 2025517 (6 pack)	45803	53713
A	43610	40910	40510	45800	53710
A	–	–	45018	45808	53718
A	–	–	45016	–	–
A	–	–	45019	–	–
A	–	–	45017	–	–
A	–	–	45020	45810	–
A	–	–	45021	45811	53721
A	–	40914	45014	–	–
A	–	–	45015	45805	–
A	–	–	45012	45802	–

D1 DURABLE LABELS	
Label Color	1/2"
BLACK ► WHITE *	1978364
BLACK ► ORANGE	1978367
WHITE ► BLACK	1978365
WHITE ► RED	1978366

* Length is 18 ft. (5,5 m) for label.

LW LABELS					
Label Type	Item #	Size	Labels/Roll/Box	Adhesive/Material	
File Folder Label, 1-Up	30327	9/16" x 3-7/16"	130/Roll, 1/Box	Permanent/Paper	
File Folder Label, 2-Up	30277	9/16" x 3-7/16"	260/Roll, 1/Box	Permanent/Paper	
Hanging File Tab Insert (1/5 cut)	30376	9/16" x 2"	260/Roll, 1/Box	Permanent/Paper	
CD/DVD Label	30854	2-1/4" Diameter	160/Roll, 1/Box	Permanent/Paper	
Large Multi-Purpose	30324	2-1/8" x 2-3/4"	320/Roll, 1/Box	Permanent/Paper	
Square Multi-Purpose	30332	1" x 1"	750/Roll, 1/Box	Permanent/Paper	
Small Multi-Purpose	30336	1" x 2-1/8"	500/Roll, 1/Box	Permanent/Paper	
Medium Multi-Purpose	30334	2-1/4" x 1-1/4"	1000/Roll, 1/Box	Permanent/Paper	

LW DURABLE HOME/OFFICE LABELS				
Label Type	Item #	Size	Labels/Roll/Box	Adhesive/Material
Address Label	1976200	1" x 3-1/2"	100/Roll, 1/Box	Ultra-Permanent/Polyester
Multi-Purpose	1976411	1" x 2-1/8"	160/Roll, 1/Box	Ultra-Permanent/Polyester
Large Address Label	1976414	2-5/16" x 4"	50/Roll, 1/Box	Ultra-Permanent/Polyester

**The information contained in this Retail & Food Service Guide is being provided for general information purposes only and the standards referenced herein are subject to change. For more information on HACCP Guidance and Retail, please visit www.fda.gov

Visitor Management

What is visitor management?

Visitor management refers to the process of tracking visitors who enter and exit a facility, creating a record of the building's use. During the visitor check-in process information is often collected from each visitor including name, reason for their visit and the date and time of check-in and check-out.

Types of Visitor Management Systems

There are two common methods for facilitating visitor management systems – pen and paper, and electronic. The pen and paper method often utilizes a log book where visitors can sign in and handwrite the required information for check-in and check-out.

An electronic visitor management system uses a computer to record and validate visitor information. Some advantages to this type of system are that they can store a digital record of all check-in /check-out activity, allow for validation of visitor ID against internal and external databases, and enable photo ID printing on name badges for an added level of security.



Common locations for visitor management include:

- Schools
- Office Buildings
- Manufacturing
- Healthcare Facilities
- Daycare
- Government Buildings
- Museums
- Churches
- Events

When integrated with a facility's electronic visitor management process, DYMO LabelWriter® label printers help to provide quick, on-demand printing of name badges to help support the visitor check-in process.

Print any badge you need

Simple visitor-operated badge printing solutions




Item# 30857 (adhesive)
Size: 2-1/4" x 4"




Item# 30856 (non-adhesive)
Size: 2-7/16" x 4-3/16"

Time-expiring badge printing



Item# 30911
Size: 2-1/4" x 4"

Print badges with barcodes and black-and-white photos



Item# 30857
Size: 2-1/4" x 4"



Item# 30856 (non-adhesive)
Size: 2" x 3-1/2"

Visitor Management Solutions from DYMO®

DYMO LabelWriter® label printers provide a fast, trouble-free visitor badge printing solution. Great DYMO hardware features and specialty badge labels let you add custom capabilities to create the perfect solution for your needs – without a lot of extra work.



LabelWriter 450
Professional Label Printer for PC and Mac
ITEM # 1752264




LabelWriter 450 Turbo
High-Speed Label Printer for PC and Mac
ITEM # 1752265



LabelWriter 450 Twin Turbo
Dual Roll Label and Postage Printer for PC and Mac
ITEM # 1752266



LabelWriter Wireless
Print Labels without Cables Using Wi-Fi
ITEM # Blk 2002150
Wht 1981698



Recommended labels for Visitor Management

Visit dymo.com for more detail



LW Labels

- For use in LabelWriter label printers
- White paper labels ideal for indoor application
- Packaged in rolls



LW LABELS				
Label Type	Item #	Size	Labels/Roll/Box	Adhesive/Material
Time Expiring Name Badge	30911	2-1/4" x 4"	250/Roll/1/Box	Permanent Paper
Name Badge	30857	2-1/4" x 4"	250/Roll/1/Box	Permanent Paper
Name Badge	30856	2-7/16" x 4-3/16"	250/Roll/1/Box	Non-Adhesive Paper
Appointment Card Medium	30374	2" x 3-1/2"	300/Roll/1/Box	Non-Adhesive Paper



DYMO Software Development Kit

With the DYMO Software Developer Kit, free download at Dymo.com for the LabelWriter 450 series, you can integrate the badge printing feature in any of your Windows, Mac® or Linux applications. It offers fully integrated printer control so you don't have to worry about paper type selection, printer resolutions, margins, custom page sizes and all the other complexities of printing.

LabelManager®, Rhino™ & XTL™ Label Makers

Leave any project or task looking better than you found it.



Feature / Product	LabelManager 160	LabelManager 210D	LabelManager 280	LabelManager 420P	LabelManager 500TS	LabelManager PnP	MobileLabeler
ITEM #	1790415	1738345 Kit: 1738976	1815990	1768815	1790417	1768960	1982171
Product Description	Easy-To-Use Label Maker with Fast-Formatting Keys	All-Purpose Label Maker with Large Graphical Display	Rechargeable Handheld Label Maker with PC or Mac [®] Connection	High-Performance Portable Label Maker with PC/Mac [®] Connection	Touch Screen Label Maker with PC or Mac [®] Connection	Plug and Play Label Maker for PC or Mac [®]	Easy Labeling with Your Smartphone
Print Resolution	180 dpi	180 dpi	180 dpi	180 dpi	300 dpi	180 dpi	300 dpi
Printing System	Thermal Transfer	Thermal Transfer	Thermal Transfer	Thermal Transfer	Thermal Transfer	Thermal Transfer	Thermal Transfer
Label System	D1 / D1 Durable	D1 / D1 Durable	D1 / D1 Durable	D1 / D1 Durable	D1	D1 / D1 Durable	D1 / D1 Durable
Number of Print Lines	2	2	2*	4*	Unlimited	Unlimited	Unlimited
Label Widths	1/4, 3/8, 1/2 in 6, 9, 12 mm	1/4, 3/8, 1/2 in 6, 9, 12 mm	1/4, 3/8, 1/2 in 6, 9, 12 mm	1/4, 3/8, 1/2, 3/4 in 6, 9, 12, 19 mm	1/4, 3/8, 1/2, 3/4, 1 in 6, 9, 12, 19, 24 mm	1/4, 3/8, 1/2 in 6, 9, 12 mm	1/4, 3/8, 1/2, 3/4, 1 in 6, 9, 12, 19, 24 mm
Normal / Bold/ Italic/Underline	√	√	√	√	√	√	√
Vertical Effect	√	√	√	√	√	√	√
Mirror Effect	-	√	√	√	√	√	√
Symbols Library	228	132	132	325*	325*	Unlimited*	Unlimited*
Number of Character Sizes	6	6	6*	7*	25*	Unlimited*	Unlimited*
Keyboard Layout	QWERTY	QWERTY	QWERTY	ABC	QWERTY	-	-
Fast-Formatting Keys	√	-	√	-	-	-	-
Backlit Display	-	-	-	√	-	-	-
Fixed Length	-	√	√	√	√	√	√
Cable Identification	-	-	-	-	-	-	-
DataCom Identification	-	-	-	-	-	-	-
Barcodes	-	-	12 [†]	12 [†]	12 [†]	12 [†]	12 [†]
Serialization	-	-	-	-	-	-	-
Label Cutter	Manual	Manual	Manual	Manual	Automatic	Manual	Automatic
Battery Type	6 AAA	6 AA	Rechargeable	Rechargeable	Rechargeable	Rechargeable	Rechargeable
Computer Connectivity	-	-	PC/Mac [®]	PC/Mac [®]	PC/Mac [®]	PC/Mac [®]	PC/Mac [®]

* Unlimited when connected to PC or Mac

[†] Some barcodes may be printed directly from label maker without PC or Mac connection. Consult Barcode Guidelines (pages 11-12) for full compatibility listing.



Feature / Product	XTL™ 500	XTL™ 300	Rhino™ 5200	Rhino™ 4200
ITEM #	Kit: 1868815	1868813 / Kit: 1868814	17755749 / Kit: 1756589	1801611 / Kit 1835374
Printing System	Thermal Transfer	Thermal Transfer	Thermal Transfer	Thermal Transfer
Max Label Width	2"	1"	3/4"	3/4"
Labels Supported	XTL	XTL	IND	IND
Display	4" Color Touch Screen	2.8" Color Screen	2.63"	2.56"
Print Speed (average)	1.10" in/sec	1.25" in/sec	0.4 in/sec	0.6 in/sec
Keyboard	QWERTY	QWERTY	ABC	QWERTY
Print DPI	300	300	180 dpi	180 dpi
Printable Lines	24	11	5	5
Barcode Supported	Code128 (Auto), Code39, Code39 Mod 4, EAN8, EAN13, UPC-A, Codabar, PDF-417, QR Code	Code128 (Auto), Code39, Code39 Mod 43, EAN8, EAN13, UPC-A, Codabar, PDF-417, QR Code	Code39 Mod 4, Code128	Code39 Mod 43, Code128
Serialization	√	√	√	√
Cutter	Auto Replaceable	Manual, Replaceable	Manual	Manual
Power Supply	Rechargeable Lithium Polymer Battery or AC Adapter	Rechargeable Lithium Polymer Battery or AC Adapter	AA / Rechargeable Lithium-ion Capable	AA / Rechargeable Lithium-ion Capable
Memory	41 MB	41 MB	100 labels / Last Label	25 labels / Last Label
Warranty	3-Year Limited	3-Year Limited	1-Year Limited	1-Year Limited
PC Connectivity	√	√	-	-
Software	DYMO ID, Free download	DYMO ID, Free download	-	-
Compatibility	Windows® 7 and later	Windows® 7 and later	-	-
LABEL APPLICATIONS				
110 & Terminal Block	√	√	√	√
Arc Flash	√	-	-	-
Asset Tracking	√	√	√	√
Breaker	√	√	√	√
Cable Wrap	√	√	√	√
Distribution Panel	√	√	√	√
Flag	√	√	√	√
General Label	√	√	√	√
Heat-Shrink Tube	√	√	√	√
Materials Management	√	√	√	√
Patch Panel	√	√	√	√
Pipe Marking	√	-	-	-
Quick Label	√	√	-	-
Safety	√	-	-	-

D1, XTL & IND Labels

The right label for practically every situation and surface.



D1 STANDARD

For hundreds of tasks around the office, such as filing, storage, and asset management. Compatible with LabelManagers.

Length: 23 ft. (7 m)

Temperature Rating: -40°F to 194°F

- A
- A
- A
- A
- A
- A
- A
- A
- A
- A
- A
- A

COLOR	1 in 24 mm	3/4 in 19 mm	1/2 in 12 mm	3/8 in 9 mm	1/4 in 6 mm
Black on White	53713	45803	45013 2025518 (4 pack) 2025517 (6 pack)	41913	43613
Black on Clear	53710	45800	45010	40910	43610
Black on Yellow	53718	45808	45018	-	-
Black on Blue	-	-	45016	-	-
Black on Green	-	-	45019	-	-
Black on Red	-	-	45017	-	-
White on Clear	-	45810	45020	-	-
White on Black	53721	45811	45021	-	-
Blue on White	-	-	45014	40914	-
Red on White	-	45805	45015	-	-
Red on Clear	-	45802	45012	-	-

D1 DURABLE

Ideal for labeling kitchens, pantries, utility cupboards, laundry rooms, workshops, or garages. Compatible with LabelManagers.

Length: 10 ft. (3 m)

Temperature Rating: -40°F to 194°F

- A
- A
- A
- A

COLOR	1/2 in 24 mm
Black on White*	1978364
White on Red	1978366
White on Black	1978365
Black on Orange	1978367

* Length is 18 ft. (5,5 m) for label.



IND VINYL

Ideal for both indoor and outdoor applications. Available in the widest range of colors that meet OSHA, ANSI and ISO color standards. Compatible with Rhinö labels.

UL recognized as a component to UL 969, RoHS compliant

Length: 18 ft. (5,5 m)

Temperature Rating: -40°F to 176°F

- A
- A
- A
- A
- A
- A
- A
- A
- A
- A
- A
- A

COLOR	1 in 24 mm	3/4 in 19 mm	1/2 in 12 mm	3/8 in 9 mm	1/4 in 6 mm
Black on White	1805430	18445	18444	18443	-
Black on Yellow	1805431	18433	18432	-	-
Black on Orange	-	18436	18435	-	-
Black on Grey	-	1805419	1805413	-	-
White on Red	1805429	1805422	1805416	-	-
White on Black	1805432	1805436	1805435	1805437	-
White on Green	-	1805420	1805414	-	-
White on Blue	-	1805417	1805243	-	-
White on Purple	-	1805421	1805415	-	-
White on Brown	-	1805418	1805412	-	-



IND PERMANENT POLYESTER

Professional, polished finish ideal for panels, blocks, faceplates, shelves, bins, beams and more. Compatible with Rhinö labels.


UL recognized as a component to UL 969, RoHS compliant

Length: 18 ft. (5,5 m)

Temperature Rating: -40°F to 302°F

- A
- A
- A

COLOR	1 in 24 mm	3/4 in 19 mm	1/2 in 12 mm	3/8 in 9 mm	1/4 in 6 mm
Black on White	1734523	18484	18483	18482	1805442
Black on Clear	-	622290	622289	18508	1805440
Black on Metallic	-	18487	18486	18485	1805441



IND FLEXIBLE NYLON

Specifically designed for curved surfaces and wire and cable marking. Compatible with Rhinö labels.

UL recognized as a component to UL 969, RoHS compliant

Length: 11.5 ft. (3,5 m)

Temperature Rating: -40°F to 176°F

- A
- A

COLOR	1 in 24 mm	3/4 in 19 mm	1/2 in 12 mm	3/8 in 9 mm	1/4 in 6 mm
Black on White	1734524	18489	18488	-	-
Black on Yellow	1734525	18491	18490	-	-



IND HEAT-SHRINK TUBE

For high-end cable identification. A 3:1 shrink ratio helps ensure a secure fit on wires and cables. Compatible with Rhinö labels.

UL recognized as a component to UL 224, RoHS compliant, meets MIL-STD-202G, MIL-81531 and SAE-DTL 23053/5 (Class 1 & 3)

Length: 5 ft. (1,5 m)

Temperature Rating: -67°F to 257°F

- A
- A

COLOR	1 in 24 mm	3/4 in 19 mm	1/2 in 12 mm	3/8 in 9 mm	1/4 in 6 mm
Black on White	1805443	18057	18055	18053	18051
Black on Yellow	1805444	18058	18056	18054	18052



IND SELF-LAMINATING

Protect your printed area from exposure to oil, solvents, water and abrasion when applied to wires and cables. Compatible with Rhinö labels.

RoHS compliant

Length: 5 ft. (1,5 m)

Temperature Rating: -67°F to 257°F

- A

COLOR	1 in 24 mm	3/4 in 19 mm	1/2 in 12 mm	3/8 in 9 mm	1/4 in 6 mm
Black on White	1734821	-	-	-	-





XTL ALL-PURPOSE VINYL

From textured surfaces to cables, vinyl labels are ideal for almost any labeling application. Vinyl offers moisture, chemical and UV resistance, making it ideal for labeling both indoors and outdoors. Available in sizes from 1/2" to 2" and in a wide range of colors that fit with OSHA, ANSI and ISO color standards to enhance workplace communication and safety. Compatible with XTL labelers.

UL recognized as a component to UL 969, RoHS compliant

Length: 23 ft. (7 m)

Temperature Rating: -40°F to 176°F

	TAPE COLOR ON LABEL COLOR	1/2 in 12 mm	3/4 in 19 mm	1 in 24 mm	1-1/2 in 38 mm	2 in 51 mm
A	Black on Clear	1868741	1868742	1868743	1868744	1868745
A	Red on Clear	1868746	1868747	1868748	1868749	1868750
A	Black on White	1868751	1868752	1868753	1868754	1868755
A	Red on White	1868756	1868757	1868758	1868759	1868760
A	White on Red	1868761	1868762	1868763	1868764	1868765
A	Black on Orange	1868766	1868767	1868768	1868769	1868770
A	Black on Yellow	1868771	1868772	1868773	1868774	1868775
A	White on Blue	1868776	1868777	1868778	1868779	1868780
A	White on Green	1868781	1868782	1868783	1868784	1868785
A	White on Brown	1868786	1868787	1868788	1868789	1868790
A	White on Purple	1868791	1868792	1868793	1868794	1868795
A	White on Black	1868796	1868797	1868798	1868799	1868800
A	Black on Grey	1868801	1868802	1868803	1868804	1868805



XTL PERMANENT FLAT SURFACE

For labeling panels, blocks, faceplates, shelves, bins, beams and more, Permanent Flat Surface labels have a glossy finish that leaves your work looking professional. Constructed of polyester material and coated with industrial-grade adhesive. Available in smaller widths down to 1/4" to fit in tight spaces. Compatible with XTL labelers.

UL recognized as a component to UL 969, RoHS compliant

Length: 29.8 ft. (9 m)

Temperature Rating: -40°F to 302°F

	TAPE COLOR ON LABEL COLOR	1/4 in 6 mm	3/8 in 9 mm	1/2 in 12 mm
A	Black on White	1868735	1868736	1868737
A	Black on Clear	1868738	1868739	1868740

XTL FLEXIBLE CABLE WRAP

For labeling wires, cables and rounded surfaces. Constructed of durable, flexible nylon material designed to conform and stick. Tear-proof material resists damage when pulled through tight spaces or conduits. Compatible with XTL labelers.



UL recognized as a component to UL 969, RoHS compliant

Length: 18 ft. (5,5 m)

Temperature Rating: -40°F to 176°F

	TAPE COLOR ON LABEL COLOR	1/4 in 6 mm	3/4 in 19 mm	1 in 24 mm
A	Black on White	1868806	1868807	1868808

XTL HEAT-SHRINK TUBE (CONTINUOUS & PRE-SIZED)

DYMO XTL label makers print directly on continuous or pre-sized heat-shrink tubes provide insulation when shrunk down and ensure a secure fit on wires and cables with a 3:1 shrink ratio.



Constructed of flame-retardant polyolefin sleeves and tested to industry standards. Compatible with XTL labelers.

UL recognized as a component to UL 224.

Meets MIL-M-81531, MIL-STD-202G, SAE-DTL-23053/5 (Class 1 & 3)

XTL Heat-Shrink Tube (Continuous)

Width:	Length:
1/4 in (6 mm)	9.5 ft (2,9 m)
1/2 in (12 mm)	9.5 ft (2,9 m)
1 in (24 mm)	9.5 ft (2,9 m)
2 in (54 mm)	6.2 ft (1,9 m)

Temperature Rating: -67°F to 257°F

	TAPE COLOR ON LABEL COLOR	1/4 in 6 mm	1/2 in 12 mm	1 in 24 mm	2 in 51 mm
A	Black on White	1868809	1868810	1868811	1868812

XTL Pre-Sized Heat-Shrink Tube

Temperature Rating: -67°F to 257°F

	TEXT COLOR ON LABEL COLOR	Item #	Label Width	Label Length	Labels/ Cartridge	Compatible Label Maker
A	Black on White	1868717	1/4 in	1-5/16 in	81	XTL 500
A	Black on White	1868718	1/2 in	1-5/16 in	65	XTL 500
A	Black on White	1868719	1 in	1-5/16 in	60	XTL 500
A	Black on White	1868720	2-1/8 in	1-5/16 in	25	XTL 500
A	Black on White	1868731	1/4 in	1-7/8 in	81	XTL 500
A	Black on White	1868732	1/2 in	1-7/8 in	65	XTL 500
A	Black on White	1868733	1 in	1-7/8 in	60	XTL 500
A	Black on White	1868734	2-1/8 in	1-7/8 in	25	XTL 500



XTL PRE-SIZED LABELS

Ideal for flat surface labeling like barcodes, faceplates, shelves, bins, beams and more. Constructed of a glossy polyester material and coated with industrial-grade adhesive, pre-sized labels help facilitate batch label printing to improve productivity. Compatible with XTL labelers.

UL recognized as a component to UL 969, RoHS compliant
Temperature Rating: -40°F to 302°F

	TEXT COLOR ON LABEL COLOR	1 in 24 mm	3/4 in 19 mm	1/2 in 12 mm	3/8 in 9 mm	1/4 in 6 mm
A	Black on White	1868665	1/2 in	1/2 in	250	XTL 300, XTL 500
A	Black on White	1868666	1/2 in	1 in	250	XTL 300, XTL 500
A	Black on White	1868667	1/2 in	1-1/2 in	185	XTL 300, XTL 500
A	Black on White	1868668	1 in	1 in	250	XTL 500
A	Black on White	1868669	3/8 in	1 in	250	XTL 300, XTL 500
A	Black on White	1868670	1/2 in	3/4 in	250	XTL 300, XTL 500
A	Black on White	1868701	3/4 in	1 in	250	XTL 300, XTL 500
A	Black on White	1868702	1 in	2 in	100	XTL 500
A	Black on White	1868703	2 in	3 in	100	XTL 500



XTL PRE-SIZED LABELS

Labels are pre-printed with DANGER and NOTICE headers for on-demand printing of small format safety signage. Constructed of a durable vinyl material and coated with industrial grade adhesive. Compatible with XTL labelers.

UL recognized as a component to UL 969, RoHS compliant

Label Length: 4 in. (101,6 mm)
Temperature Rating: -40°F to 176°F

	TEXT COLOR ON LABEL COLOR	Item #	Label Width	Label Length	Labels/Cartridge	Compatible Label Maker
	ABC	1868713	2 in	4 in	70	XTL 500
	ABC	1868714	2 in	4 in	70	XTL 500
	NOTICE ABC	1868715	2 in	4 in	70	XTL 500
	▲ DANGER ABC	1868716	2 in	4 in	70	XTL 500

XTL LAMINATED WIRE/CABLE WRAP

Pre-sized wire/cable wraps with laminated overwrap protect printed areas from oil, chemicals, moisture, abrasion and fading. Improve your productivity by printing batches of cable wraps at once. Simply take them with you, peel and apply. Also available in sheet label formats for high-volume installations. Compatible with XTL labelers.



UL recognized as a component to UL 969, RoHS compliant
Temperature Rating: -40°F to 176°F

XTL Laminated Wire/Cable Wraps

	TEXT COLOR ON LABEL COLOR	1 in 24 mm	3/4 in 19 mm	1/2 in 12 mm	3/8 in 9 mm	1/4 in 6 mm
A	Black on White	1868704	13/16 in	13/16 in	250	XTL 300, XTL 500
A	Black on White	1868705	13/16 in	1-9/16 in	150	XTL 300, XTL 500
A	Black on White	1868706	13/16 in	4 in	75	XTL 300, XTL 500
A	Black on White	1868707	1-1/2 in	13/16 in	250	XTL 500
A	Black on White	1868708	1-1/2 in	1-9/16 in	150	XTL 500
A	Black on White	1868709	1-1/2 in	4 in	75	XTL 500
A	Black on White	1868710	2 in	13/16 in	250	XTL 500
A	Black on White	1868711	2 in	1-9/16 in	100	XTL 500
A	Black on White	1868712	2 in	4 in	70	XTL 500

XTL Laminated Wire/Cable Wraps (Sheet Labels)

	TEXT COLOR ON LABEL COLOR	Item #	Label Width	Label Length	Labels/Sheet	Sheets/Pack	Labels/Pack
A	Black on White	1908552	1 in	7/8 in	96	27	2592
A	Black on White	1908553	1 in	1-5/8 in	48	53	2544
A	Black on White	1908554	1 in	4 in	16	63	1008
A	Black on White	1908555	1-1/2 in	7/8 in	60	34	2040
A	Black on White	1908556	1-1/2 in	1-5/8 in	30	34	1020
A	Black on White	1908557	2 in	7/8 in	36	28	1008
A	Black on White	1908558	2 in	1-5/8 in	18	56	1008

D1 Labels Feature:



Easy-Peel Backing
Quickly and easily remove label backing for trouble-free application



UV Resistant



Water Resistant



Temperature Resistant

XTL and IND Labels Feature:



Easy-Peel Backing
Quickly and easily remove label backing for trouble-free application



UV Resistant



Water Resistant



Temperature Resistant




Oil Resistant



Chemical Resistant

DYMO LAB ELS : A VISUAL GUIDE E


LABEL WIDTHS




SAFETY & WARNINGS



PRE-SIZED SAFETY LABELS



GENERAL IDENTIFICATION




PIPE MARKING



NETWORKING COMPONENTS




PRE-SIZED HEAT-SHRINK TUBE



1868733 / 1" x 1 7/8" Black on White

LAMINATED WIRE/CABLE WRAPS



1868708 / 1-1/2" x 1-9/16"




1868740 / 1/2" Black on Clear



PRE-SIZED LABELS




PERMANENT FLAT SURFACE



1868736 / 3/8" Black on White


COLOR CODING



ALL-PURPOSE VINYL COLORS



ASSET TRACKING



BARCODING



1868667 1/2" x 1-1/2"

MEET STANDARDS



LabelWriter® Label Printers

Make any workspace more productive, efficient and professional.



Feature / Product	LabelWriter 450	LabelWriter 450 Turbo	LabelWriter 450 Twin Turbo	LabelWriter Wireless	LabelWriter 4XL
ITEM #	1752264	1752265	1752266	Wht 1981698 Blk 2002150	1755120
Product Description	Professional Label Printer for PC and Mac	High-Speed Label Printer for PC and Mac	Dual-Roll Label and Postage Printer for PC and Mac	Print Labels without Cables Using Wi-Fi	Heavy-Duty, High-Speed Label Printer
Capacity	Single Roll	Single Roll	Dual Roll	Single Roll	Wide Format
Print Resolution (dpi)	600 x 300	600 x 300	600 x 300	600 x 300	600 x 300
Printing System	Direct Thermal	Direct Thermal	Direct Thermal	Direct Thermal	Direct Thermal
Print Speed (labels/min)	51*	71*	71	71*	53* (129 on high capacity labels)
Maximum Print Width	2.3 in	2.3 in	2.3 in	2.3 in	4 in
Postage / Parcel	-	Postage	Postage	Postage	Postage / Parcel
Label Types	LW	LW	LW	LW	LW

* 4-line address label.



Included with all DYMO LabelWriter label printers:

Each Label Writer printer comes with the latest DYMO Label™ software that makes creating customized labels easy with text, images, pictures, date and time, serial numbers, and 20 different types of barcodes.



Environmentally friendly

All Label Writer printers have automatic sleep mode – to conserve energy and reduce your costs.



Create your own desktop mailing solution

Combine any Label Writer label printer† with any DYMO USB digital postal or shipping scale to create a complete mailing or shipping system.

Just pay for the postage you need – no hidden costs, contracts or monthly fees.



† Excludes LabelWriter 450.

Software, Integration & Networking

Make labeling part of your seamless work process.



DYMO ID Software

DYMO ID - achieving labeling simplicity just got easier.

- Consistent software design between DYMO ID software and XTL label makers make it easy to transition between PC and label printer
- Quickly import data to create a series of labels in just a few steps to eliminate manual entry, saving time and increasing productivity
- Over 200 pre-loaded symbols and images - or simply add a custom image to enhance communication and meet industry standards
- Quick customization and upgrades - Simply plug your XTL label maker into a PC and use DYMO ID software to customize your preferences and keep it up to date
- Works with the DYMO XTL 300 and 500 label makers as well as DYMO XTL Laminated Wire/Cable Wrap Sheet Labels



DYMO ID Software now with Fluke LinkWare™ Integration

Cable labeling made simple.

- Import data from a LinkWare Live account in just a few steps to eliminate manual entry, saving time and increasing productivity
- Use cable ID data with built-in label applications and time-saving templates for patch panels, wire/cable labels, and more
- Life-like on-screen print preview shows exactly how labels will look when applied to cables, panels and more



DYMO Connect

Labeling with your mobile device has never been easier.

- Print labels faster and more easily with pre-formatted label types and templates
- Customize labels with pictures from the Image Gallery on your smartphone or tablet
- Intuitive design and features like spellcheck and voice-to-text make creating labels a breeze
- Compatible with Android and iOS smartphones




DLS

DYMO Label v.8 Software

Great labeling results with a lot less work.

- Available for use with every LabelWriter and PC or Mac-compatible LabelManager label maker
- Choose from over 100 pre-designed label layouts, then customize with your company logo or graphics
- Built-in address book: Print labels straight from your contact list or from your Outlook contacts or Mac Address Book
- Multi application: Create labels directly from Microsoft Word, Outlook and Excel without retyping your text
- QuickPrint widget: Print a single label quickly and easily



SDK

DYMO Software Development Kits

Build DYMO technology into your solutions.

- Easily and quickly integrate DYMO label printing into any Windows, Mac, Linux system or integrate card scanning into any Windows system
- Get regular updates from our technical team on the DYMO Developer's blog: <http://developers.dymo.com>



LW

LabelWriter® Print Server


Network adapter for DYMO LabelWriter label printers.

- Simple installation: Connects via USB, ethernet cable and AC power source
- Connects everyone on your local network
- Software available in English, French, German, Dutch and Italian



LW Labels


A visual guide to some of our most popular label shapes and sizes.



RETURN ADDRESS

3/4" x 2" 30330 (500 per roll)


ADDRESS



1-1/8" x 3-1/2"
30254 Clear | 30251 White | 30255 Yellow (130 per roll)



SHIPPING




2-1/8" x 4" 30323 (220 per roll)
2-5/16" x 4" 30256 (300 per roll)

DYMO STAMPS*



1-5/8" x 1-1/4" 30915 (200 per roll)

FILE FOLDER




9/16" x 3-7/16" 30327 (130 per roll)




EXTRA LARGE SHIPPING



For use with LabelWrite® 4XL only
4" x 6" 1744907 (220 per roll)



APPOINTMENT CARD




2" x 3-1/2"
30374 (300 per roll)

NAME BADGES



2-1/4" x 4" 30857 (250 per roll)
2-7/16" x 4-3/16" 30856 (250 per roll)

FILING / MEDIA STORAGE




2-1/4" diameter
30854 (160 per roll)



3/4" x 5-7/8"
30325 (75 per roll)
1-4/5" x 3-1/10"
30326 (250 per roll)

LARGE MULTI-PURPOSE



2-1/8" x 2-3/4"
30324 (320 per roll)
2" x 2-5/16"
30370 (250 per roll)



MULTI-PURPOSE



2-1/4" x 1-1/4" 30334 (1000 per roll) Removable	1" x 1" 30332 (750 per roll)
3/8" x 2-13/16" 30339 (700 per roll)	1/2" x 1" 30333 (1000 per roll)



DYMO CustomLabels


Customize your labels to reinforce your brand and print labels that are distinctly yours. visit dymo.com/m/customlabels

LW Label Rolls

Print one label or hundreds with ease – no sheet label hassle or waste.



Label Dimension Samples



MAILING



LABEL TYPE	Item #	Size	Labels/Roll/Box	Adhesive/Material
Address, White	30252	1-1/8" x 3-1/2"	350/Roll, 2/Box	Permanent/Paper
Address, White, 2-up	30253	1-1/8" x 3-1/2"	700/Roll, 1/Box	Permanent/Paper
Address, White	30251	1-1/8" x 3-1/2"	130/Roll, 2/Box	Permanent/Paper
Address, White	30320	1-1/8" x 3-1/2"	260/Roll, 2/Box	Permanent/Paper
Address, Clear	30254	1-1/8" x 3-1/2"	130/Roll, 2/Box	Permanent/Clear Plastic
Address, Yellow	30255	1-1/8" x 3-1/2"	130/Roll, 1/Box	Permanent/Paper
Large Address, White	30321	1-4/10" x 3-1/2"	260/Roll, 2/Box	Permanent/Paper
Return Address, White	30330	3/4" x 2"	500/Roll, 1/Box	Permanent/Paper
DYMO Stamps Internet Postage	30915	1-5/8" x 1-1/4"	200/Roll, 1/Box	Permanent/Paper
3-Part Internet Postage	30383	2-1/4" x 7"	150/Roll, 1/Box	Permanent/Paper

DURABLE HOME/OFFICE



LABEL TYPE	Item #	Size	Labels/Roll/Box	Adhesive/Material
Address Label	1976200	1" x 3-1/2"	100/Roll, 1/Box	Ultra-Permanent/Polyester
Multi-Purpose	1976411	1" x 2-1/8"	160/Roll, 1/Box	Ultra-Permanent/Polyester
Large Address Label	1976414	2-5/16" x 4"	50/Roll, 1/Box	Ultra-Permanent/Polyester

DURABLE INDUSTRIAL



LABEL TYPE	Item #	Size	Labels/Roll/Box	Adhesive/Material
Small Multi-Purpose	1933083	1" x 1"	1700/Roll, 1/Box	Ultra-Permanent/Polyester
Small Multi-Purpose	1933084	2-1/4" x 1-1/4"	800/Roll, 1/Box	Ultra-Permanent/Polyester
Small Multi-Purpose	1933085	3/4" x 2-1/2"	900/Roll, 1/Box	Ultra-Permanent/Polyester
Large Multi-Purpose	1933086	4-1/16" x 6-1/4**	200/Roll, 1/Box	Ultra-Permanent/Polyester
Large Multi-Purpose	1933087	2-5/16" x 7-1/2"	170/Roll, 1/Box	Ultra-Permanent/Polyester
Multi-Purpose	1933088	2-5/16" x 4"	300/Roll, 1/Box	Ultra-Permanent/Polyester

SHIPPING



LABEL TYPE	Item #	Size	Labels/Roll/Box	Adhesive/Material
Shipping	30323	2-1/8" x 4"	220/Roll, 1/Box	Permanent/Paper
Shipping	30256	2-5/16" x 4"	300/Roll, 1/Box	Permanent/Paper
Extra Large Shipping*	1744907	4" x 6"	220/Roll, 1/Box	Permanent/Paper
Extra Large Shipping*	2026405	4" x 6"	220/Roll, 2/Box	Permanent/Paper
Extra Large Shipping*	2026404	4" x 6"	220/Roll, 5/Box	Permanent/Paper
Extra Large Shipping*	2011999	4" x 6"	220/Roll, 10/Box	Permanent/Paper
Poly Shipping**	1763982	2-5/16" x 4"	250/Roll, 1/Box	Permanent/Polypropylene

MULTI-PURPOSE



LABEL TYPE	Item #	Size	Labels/Roll/Box	Adhesive/Material
Multi-Purpose	30370	2" x 2-5/16"	250/Roll, 1/Box	Removable/Paper
Square Multi-Purpose	30332	1" x 1"	750/Roll, 1/Box	Removable/Paper
Small Multi-Purpose	30336	1" x 2-1/8"	500/Roll, 1/Box	Removable/Paper
Thin Multi-Purpose	30339	3/8" x 2-13/16"	700/Roll, 1/Box	Removable/Paper
Multi-Purpose	30333	1/2" x 1"	1000/Roll, 1/Box	Removable/Paper
Medium Multi-Purpose	30334	2-1/4" x 1-1/4"	1000/Roll, 1/Box	Removable/Paper
Large Multi-Purpose	30258	2-1/8" x 2-3/4"	400/Roll, 1/Box	Removable/Paper
Large Multi-Purpose	30324	2-1/8" x 2-3/4"	320/Roll, 1/Box	Removable/Paper

SPECIALTY



LABEL TYPE	Item #	Size	Labels/Roll/Box	Adhesive/Material
CD/DVD	30854	2-1/4" diameter	160/Roll, 1/Box	Permanent/Paper
Video Spine	30325	3/4" x 5-7/8"	75/Roll, 2/Box	Permanent/Paper
Video Top	30326	1-4/5" x 3-1/10"	250/Roll, 1/Box	Permanent/Paper
Time Expiring Name Badge	30911	2-1/4" x 4"	250/Roll, 1/Box	Permanent/Paper
Name Badge	30857	2-1/4" x 4"	250/Roll, 1/Box	Permanent/Paper
Name Badge	30856	2-7/16" x 4-3/16"	250/Roll, 1/Box	Non-Adhesive/Paper
Medium Appointment Card	30374	2" x 3-1/2"	300/Roll, 1/Box	Non-Adhesive/Paper
Continuous Paper	30270	2-1/4" x 300'	1/Box	Non-Adhesive/Paper

FILE FOLDERS



LABEL TYPE	Item #	Size	Labels/Roll/Box	Adhesive/Material
1-Up File Folder	30327	9/16" x 3-7/16"	130/Roll, 2/Box	Permanent/Paper
2-Up File Folder	30277	9/16" x 3-7/16"	260/Roll, 1/Box	Permanent/Paper
Hanging File Tab Insert (1/5 cut)	30376	9/16" x 2"	260/Roll, 1/Box	Permanent/Paper

* Only compatible with LabelWriter XL.

** Poly labels are resistant to water, moisture, oil, heat and tearing.

Digital Postal Scales

Weigh envelopes and packages for precise postage, every time.

Mailing & Shipping Scales

Quickly weigh envelopes and packages up to 400 lbs (180 kg) – without a trip to the mailroom or post office. Connect the scale via USB to a PC¹ or Mac² to use popular online mailing and shipping services³ – including Endicia⁴, InstaRate⁴ and DYMO Stamps⁵ software.



Feature / Product	M3 Digital Postal Scale	M5 Digital Postal Scale	M10 Digital USB Postal Scale	M25 Digital USB Postal Scale	S100 Digital USB Shipping Scale	S250 Digital USB Shipping Scale	S400 Digital USB Shipping Scale
ITEM #	1772055	1772056	1772057	1772059	1776111	1776112	1776113
Description	3 lb Digital Postal Scale	5 lb Digital Postal Scale	10 lb Digital USB Postal Scale	25 lb Digital USB Postal Scale	100 lb Digital USB Shipping Scale	250 lb Digital USB Shipping Scale	400 lb Digital USB Shipping Scale
Maximum Weight Capacity	3 lbs	5 lbs	10 lbs	25 lbs	100 lbs	250 lbs	400 lbs
Weight Interval	0.05 oz	0.1 oz	0.2 oz	0.2 oz	0.2 lb	0.2 lb	0.5 lb
Automatic Shut-Off	✓	✓	✓	✓	✓	✓	✓
Hold Button To lock weight display	✓	✓	✓ (+LED Indicator)	✓ (+ LED Indicator)	✓	✓	✓
Tare Button To weigh contents in a container	✓	✓	✓	✓	✓	✓	✓
USB Connection	–	–	✓	✓	✓	✓	✓
Detachable LCD-Display Handheld or wall-mounted use	–	–	–	–	✓	✓	✓
Power Source Batteries included	3 AAA	3 AAA	USB Cable or 3 AAA	USB Cable or 3 AAA	USB Cable, AC Adapter or 3 AAA	USB Cable, AC Adapter or 3 AAA	USB Cable, AC Adapter or 3 AAA
Platform Dimensions	6" x 6"	6" x 6"	8" x 8"	8" x 8"	12" x 12"	12" x 12"	12" x 12"
Size	7.4" x 6.4"	7.4" x 6.4"	9.0" x 8.3"	9.0" x 8.3"	15" x 16"	15" x 16"	15" x 16"
Weight Excluding Cable	1 lb	1 lb	3 lbs	3 lbs	9 lbs	9 lbs	9 lbs

¹ Works with Windows XP, Windows Vista or Windows 7.

² Works with Mac OS v10 or later.

³ Weight restrictions may apply.

⁴ Download at no charge.

⁵ Download at no charge with activation of DYMO Stamps account.



V3

Labeling Solutions Guide



Jas Technologies S.A

Tel: +(593) 2 202 1519 / +(593) 2 202 1594

Celular: +(593) 9 80288133

Correo: ventas@jastech.com.ec

Dirección: Caran N4-117 y Pasaje "D" Aguirre Terán (Calderón)

Quito - Ecuador