

Accessories and Enhancements

STANDARD FIXED SHELVES FOR CABINETS

Our standard fixed shelves will support loads up to 50 kg. The shelves are vented to assist air flow within the cabinet. There are 5 depths, from 450 mm up to 800 mm, depending on your requirement and cabinet depth. The shelves mount to the inside flange of the 19" rails. A 38 mm slot allows precise adjustment.

Model N°	Description
LP-R707SVF300B	Standard fixed shelves for 7000 Series Cabinets, Width: 19", Depth: 300 mm, Rated Load: 50 Kg. (for 600mm depth cabinets. 1,2mm thickness)
LP-R707SVF500B	Standard fixed shelves for 7000 Series Cabinets, Width: 19", Depth: 500 mm, Rated Load: 50 Kg. (for 800mm depth cabinets. 1,5mm thickness)
LP-R707SVF700B	Standard fixed shelves for 7000 Series Cabinets, Width: 19", Depth: 700 mm, Rated Load: 50 Kg. (for 1000mm depth cabinets. 1,5mm thickness)
LP-R707SVF900B	Standard fixed shelves for 7000 Series Cabinets, Width: 19", Depth: 900 mm, Rated Load: 50 Kg. (for 1200mm depth cabinets. 1,5mm thickness)

Model N°	Description
LP-R807SVF450B	Standard fixed shelves for 8000 Series Cabinets, Width: 19", Depth: 450 mm, Rated Load: 50 Kg.
LP-R807SVF550B	Standard fixed shelves for 8000 Series Cabinets, Width: 19", Depth: 550 mm, Rated Load: 50 Kg.
LP-R807SVF650B	Standard fixed shelves for 8000 Series Cabinets, Width: 19", Depth: 650 mm, Rated Load: 50 Kg.
LP-R807SVF700B	Standard fixed shelves for 8000 Series Cabinets, Width: 19", Depth: 700 mm, Rated Load: 50 Kg.
LP-R807SVF800B	Standard fixed shelves for 8000 Series Cabinets, Width: 19", Depth: 800 mm, Rated Load: 50 Kg.

STANDARD FIXED HEAVY DUTY SHELVES FOR CABINETS.


If your load requirements exceed our standard shelf range, we have a heavy duty option. These shelves come in the same sizes as our standard line, but have increased metal thickness and extra stiffeners added. Loads up to 100 kg can be supported. The Heavy Duty range attaches to the inside flange of the 19" rail.

Model N°	Description
LP-R807HD450	Standard fixed Heavy Duty shelves for 8000 Series Cabinets, Width: 19", Depth: 450 mm, Rated load: 100Kg.
LP-R807HD550	Standard fixed Heavy Duty shelves for 8000 Series Cabinets, Width: 19", Depth: 550 mm, Rated load: 100Kg.
LP-R807HD650	Standard fixed Heavy Duty shelves for 8000 Series Cabinets, Width: 19", Depth: 650 mm, Rated load: 100Kg.
LP-R807HD700	Standard fixed Heavy Duty shelves for 8000 Series Cabinets, Width: 19", Depth: 700 mm, Rated load: 100Kg.
LP-R807HD800	Standard fixed Heavy Duty shelves for 8000 Series Cabinets, Width: 19", Depth: 800 mm, Rated load: 100Kg.

SHELVES 19" MOUNT.

For those users who prefer or need to mount the shelves on to the front face of the 19" rails, this line will solve your problem. The shelves are slightly narrower, but maintain the same load rating, 50 Kg, as our standard fixer shelves. Shelf depths range from 450 mm to 800 mm.

Model N°	Description
LP-R807SVL450B	Cabinet Vented Fixed Shelf, 19" Mount, 8000 Series, Width: 19", Depth: 450 mm, 50 Kg Rated Load.
LP-R807SVL550B	Cabinet Vented Fixed Shelf, 19" Mount, 8000 Series, Width: 19", Depth: 550 mm, 50 Kg Rated Load.
LP-R807SVL650B	Cabinet Vented Fixed Shelf, 19" Mount, 8000 Series, Width: 19", Depth: 650 mm, 50 Kg Rated Load.
LP-R807SVL700B	Cabinet Vented Fixed Shelf, 19" Mount, 8000 Series, Width: 19", Depth: 700 mm, 50 Kg Rated Load.
LP-R807SVL800B	Cabinet Vented Fixed Shelf, 19" Mount, 8000 Series, Width: 19", Depth: 800 mm, 50 Kg Rated Load.



Accessories and Enhancements



Double Sided Shelves

TELESCOPIC SHELVES FOR CABINETS 50Kg

For added versatility and accessibility, our sliding shelves are the answer. A high quality bearing slide mechanism provides smooth and convenient action for our shelves. The mounting kits are installed to the inside flange of the 19" rails. Depths range from 450 mm to 800 mm.

Model N°	Description
LP-R707TEL600B	Cabinet Telescopic Sliding Shelf Kit, 7000 Series, Width: 465mm, (19"), Depth: 600mm, For 800mm Depth Cabinets.
LP-R707TEL800B	Cabinet Telescopic Sliding Shelf Kit, 7000 Series, Width: 465mm, (19"), Depth: 800mm, For 1000mm depth Cabinets.
LP-R707TEL1000B	Cabinet Telescopic Sliding Shelf Kit, 7000 Series, Width: 465mm, (19"), Depth: 1000mm, For 1200mm depth Cabinets.

Model N°	Description
LP-R807TEL450B	Cabinet Telescopic Sliding Shelf Kit, 8000 Series, Width: 19", Depth: 450 mm, 50 Kg Rated Load.
LP-R807TEL550B	Cabinet Telescopic Sliding Shelf Kit, 8000 Series, Width: 19", Depth: 550 mm, 50 Kg Rated Load.
LP-R807TEL650B	Cabinet Telescopic Sliding Shelf Kit, 8000 Series, Width: 19", Depth: 650 mm, 50 Kg Rated Load.
LP-R807TEL700B	Cabinet Telescopic Sliding Shelf Kit, 8000 Series, Width: 19", Depth: 700 mm, 50 Kg Rated Load.

HEAVY DUTY TELESCOPIC SHELVES 75 Kg

Using our heavy duty shelves and higher load rated slide mechanisms, these shelves will increase the carrying capacity to 75 kg. Available in depths from 450 mm to 700 mm.

Model N°	Description
LP-R807THD4522	Heavy Duty Telescopic Shelves for 8000 Series Cabinets, Width: 19", Depth: 450 mm, 75 Kg. Rated Load.
LP-R807THD5022	Heavy Duty Telescopic Shelves for 8000 Series Cabinets, Width: 19", Depth: 550 mm, 75 Kg. Rated Load.
LP-R807THD6528	Heavy Duty Telescopic Shelves for 8000 Series Cabinets, Width: 19", Depth: 650 mm, 75 Kg. Rated Load.
LP-R807THD7028	Heavy Duty Telescopic Shelves for 8000 Series Cabinets, Width: 19", Depth: 700 mm, 75 Kg. Rated Load.

DOUBLE SIDED SHELVES FOR 19" OPENRACKS

These shelves are for mounting equipment on 19" OpenRacks that are up to 600 mm long. Weight is balanced and rests just in the middle of the Shelf where it is fixed to the OpenRack with four screws and the corresponding nuts. A thickness of 1.5 mm adds to the robustness of the shelf.

Model N°	Description
LP-R707DS6001U	7000 Series, Double Sided LightWeight Shelf for 19" Open Racks, 1 U, 600 mm depth.

Accessories and Enhancements

■ LIGHTWEIGHT SHELVES FOR OPENRACK

These shelves mount directly to the front of the 19" vertical rails and can support loads up to 20 kg. LanPro selection of seven heights and depths will provide the most suitable solution for you. Ideal for smaller non-rack mountable devices.

Model N°	Description
LP-R707LS3151U	Lightweight Shelves for 7000 Series Open Racks, Width: 19", Depth: 315 mm, Height: 1 U.
LP-R707LS3152U	Lightweight Shelves for 7000 Series Open Racks, Width: 19", Depth: 315 mm, Height: 2 U.

Model N°	Description
LP-R807LS2301U	Lightweight Shelves for 8000 series Open Racks, Width: 19", Depth: 230 mm, Height: 1 U.
LP-R807LS3301U	Lightweight Shelves for 8000 series Open Racks, Width: 19", Depth: 330 mm, Height: 1 U.
LP-R807LS3302U	Lightweight Shelves for 8000 series Open Racks, Width: 19", Depth: 330 mm, Height: 2 U.
LP-R807LS3901U	Lightweight Shelves for 8000 series Open Racks, Width: 19", Depth: 390 mm, Height: 1 U.
LP-R807LS3903U	Lightweight Shelves for 8000 series Open Racks, Width: 19", Depth: 390 mm, Height: 3 U.
LP-R807LS4302U	Lightweight Shelves for 8000 series Open Racks, Width: 19", Depth: 430 mm, Height: 2 U.
LP-R807LS4602U	Lightweight Shelves for 8000 series Open Racks, Width: 19", Depth: 460 mm, Height: 2 U.



Lightweight Shelves



■ CABLE HOOPS

Sturdy heavy grade steel hoops which can easily be installed in a variety of locations offers a flexible and cost effective cable management system. Available in 5 sizes, these hoops will help get your wiring under control.

Model N°	Description
LP-R807H1U225	Cable Hoop, 8000 Series, Depth: 2.25", Height: 1 U.
LP-R807H2U225	Cable Hoop, 8000 Series, Depth: 2.25", Height: 2 U.
LP-R807H1U325	Cable Hoop, 8000 Series, Depth: 3.25", Height: 1 U.
LP-R807H2U325	Cable Hoop, 8000 Series, Depth: 3.25", Height: 2 U.



Cable Hoops

■ M6 HARDWARE FOR RACK MOUNTING

Useful set of M6 high quality caged nuts, plastic cup washers with matching screw and handy caged nut installation/removal tool. Appearance is also second-to-none.

Model N°	Description
LP-R707HWB50	Hardware Bag (50 Sets nuts/screw/cup), 7000 Series.
LP-R807HWB50	Hardware Bag (50 Sets nuts/screw/cup + tool), 8000 Series.



Hardware Bag

■ PLASTIC CABLE ENTRY PLATE & BRUSH FILTER PLATE

Available in steel or plastic, these plates cover cable entry slots in the roof and plinth.

Model N°	Description
LP-R807CEC	Cable Entry Cover, 8000 Series.
LP-R807BRS101	Brush Filter Plate.



Cable entry covers

Accessories and Enhancements



Keyboard Shelf



■ KEYBOARD SHELVE

A perfect companion to our monitor mask/shelf kits, this retractable shelf is equipped with an adjustable arm to ensure cables do not get tangled and damaged. Sloped front edge gives user comfortable resting area for hands.

Model N°	Description
LP-RU07TELKYB101	Telescopic Keyboard Shelf for Cabinets, Universal Series.



Simplex Vertical Cable Manager

■ SIMPLEX VERTICAL CABLE MANAGER

Our vertical mounted cable management duct with cover provides the solution so that there are no loose or stressed cables between the different equipment units mounted in an Open Rack. Available in Simplex section, with several heights to choose from and with enough openings to pass the wires through and in a vertical fashion. Finally, a neat looking cover hides the wiring. All metal sheet.

Model N°	Description
LP-R707SVMC42	Open Rack Simplex Vertical Cable Manager, 7000 Series, for 42U height.



Cable Management Panels

■ CABLE MANAGEMENT PANELS

Our 19" mounted cable panels provides the solution to those loose cables in the front of your rack. Our panels are available in 1U and 2U heights, with solid or pass through access cut into the panels. Numerous slots provided as cable tie off points.

Model N°	Description
LP-RU073111	Cable Management Panels Pass Through, Universal Series, Width: 19", Height 1 U.
LP-RU073112	Cable Management Panels Pass Through, Universal Series, Width: 19", Height 2 U.



Document Holder

■ DOCUMENT HOLDER FOR CABINETS

Convenient and elegant compartment for storing documents or disks. Approximately 10" square, the document wallet attaches to a door in a location suitable for your needs.

Model N°	Description
LP-RU07WALLET	Document Wallet Size: 250 mm x 250 mm. Universal Series.

Accessories and Enhancements



Grounding kit

■ CABINET AND RACK GROUNDING KIT.

Ensures ground continuity between all parts of the rack and Installation site ground point, wires are 10 AWG and UL rated.

Model N°	Description
LP-RU07GNDKIT	Cabinet and Rack grounding Kits, AWG # 10, UL Rated.



Casters

■ CASTERS.

Real heavy duty casters tested to 250 kg Dynamic load. Rated to UL-94 HB.

Model N°	Description
LP-R707CAS100	Caster 250 Kg Dynamic 7000 Series.
LP-R807CAS100	Caster 250 Kg Dynamic 8000 Series.



Fan Spares 7000 Series

■ FAN SPARES 7000 SERIES

Model N°	Description
LP-R707FAN1	Ball Bearing Fan, 7000 Series, 120 VAC. MTBF@25°C 60.000hr



Fan Shelves.

■ FAN SHELVES.

For supplemental air flow, we can provide two or three way fan trays. Fan trays can be purchased with or without fans.

Model N°	Description
LP-R807FAN2	Wall Cabinet Fan Set of 2, 8000 Series, 120 VAC.
LP-R807FAN3	Floor Cabinet Fan Set of 3, 8000 Series, 120 VAC.

Accessories and Enhancements

■ RACK OR CABINET MOUNTABLE 19" 2U DRAWER WITH KEY-LOCK

Rack or Cabinet mountable 19 inch 2U Drawer with key-lock. For local storage of any kind of field usable patch cords, tools, local documentation, cables, etc.

With up to 16-1/8" of useable width, 14-1/4" useable depth, all made of steel 16 gauge construction and sliding on roller glides and with a high quality key lock.

Each drawer occupies 2 U (3-1/2") rack units of vertical Rack/Cabinet space and conveniently locks in the closed position.

Model N°	Description
LP-R707DRAW2U	Rack or Cabinet mountable 19 inch 2U Drawer with key-lock



■ LEVELING FEET

Ensure alignment and level out your cabinets on uneven surfaces. Our leveling feet have a maximum rating of 295 kg and are UL-94 HB compliant.

Model N°	Description
LP-R707LEVFT	Floor Cabinet Leveling Foot 7000 Series.
LP-R807LEVFT	Floor Cabinet Leveling Foot 8000 Series.



■ FLOOR LEVELING BRACKETS

Secure your 8000 Series Cabinet into position with our bolt down solution L shaped brackets. Attach to the front and rear sides of the plinth then into the floor.

Model N°	Description
LP-R807BRACKET	Floor Cabinet Bolt Down Brackets Kit of 4, 8000 Series.



■ BLIND PANEL

A frequently over looked component in air flow management, blind, blank or filler panels allow you to close up unused U space. This forces incoming cool air to pass through active components with pull fans already installed in your cabinet. They are available in 1 U through 5 U. Also can be tailor made to support special needs.

Model N°	Description
LP-R807BLK1U	Steel Blank Panel, 8000 Series, Width: 19", Height: 1 U.
LP-R807BLK2U	Steel Blank Panel, 8000 Series, Width: 19", Height: 2 U.
LP-R807BLK3U	Steel Blank Panel, 8000 Series, Width: 19", Height: 3 U.
LP-R807BLK4U	Steel Blank Panel, 8000 Series, Width: 19", Height: 4 U.
LP-R807BLK5U	Steel Blank Panel, 8000 Series, Width: 19", Height: 5 U.

