



Industrial Labeling Solutions

TOUGH, AFFORDABLE AND EASY-TO-USE



CONTENTS

DYMO® XTL™ MACHINES	5 - 7
DYMO® ID	8
FLUKE NETWORKS® LINKWARE™ LIVE	9
DYMO® XTL™ LABELS	10 - 13
DYMO® RHINO™ MACHINES	14 - 17
DYMO® RHINO™ LABELS	18 - 19
DYMO® LABEL RIGHT FOR ME GUIDE	20 - 21
DYMO® LABELWRITER® MACHINES	22 - 24
DYMO® LW DURABLE LABELS	25



XTL 300



Single Unit Item # 1868813
Kit Item # 1868814



XTL 500



Kit Item # 1868815



RHINO™ 4200



Single Unit Item # 1801611
Kit Item # 1835374




RHINO™ 5200



Single Unit Item # 1755749
Kit Item # 1756589



RHINO™ M1011



Kit Item # 101105



LABELWRITER® 4XL



Single Unit Item # 1755120



LABELWRITER® 450 TURBO



Single Unit Item # 1752265



LABELWRITER® 450 TWIN TURBO



Single Unit Item # 1752266





DYMO INDUSTRIAL LABELING SOLUTIONS

Save time and simplify industrial labeling jobs with DYMO® industrial labeling solutions. DYMO offers a number of labeling solutions tailored to suit a wide range of industrial labeling tasks including cable and wire identification, safety signage or extra tough labels for workplace environments.

Tackle even the most complex labeling with the DYMO XTL™ 500 and XTL™ 300. Built-in label applications make getting started easy, and pre-loaded label templates ensure perfect formatting to save time and simplify industrial labeling jobs.

Portable and affordable DYMO Rhino™ 4200 and 5200 machines save you time and money; both include great features such as “Hot Key” and “Favorites” shortcuts.

Use DYMO LW Durable labels with DYMO LabelWriter® 4XL, built for high volume labeling, and you’re ready to create inexpensive “Direct Thermal” labels and asset tags.

Let DYMO help tackle labeling with simple solutions for low voltage, electrical, cable installation, mechanical work, plumbing, MRO or facilities signage, and more.





WE BET YOU'VE NEVER EXPERIENCED INDUSTRIAL LABELING THIS SIMPLE.

Jobsite tested and packed with features, the DYMO® XTL™ 300 and XTL™ 500 label makers help simplify industrial labeling for a more efficient, frustration-free experience. By incorporating an app-based interface, XTL label makers offer a familiarity that makes using them easy. That's why over 80% of people who used an XTL label maker for eight weeks without any training said it performed better than their current label maker*. Built to meet your needs, DYMO XTL label makers offer the flexibility to print continuous tape, pre-sized labels, heat-shrink tubes and small format safety signage all from the same label maker. A full range of durable XTL labels are also available in a variety of materials and colors that comply with OSHA, ANSI and ISO color standards for workplace communication and safety.

Read on to see how XTL label makers are redefining simplicity.

LIFELIKE ON-SCREEN PRINT PREVIEW

and color display shows exactly how labels will look when applied to cables, pipes, panels and more

XTL 500
For 1/4 in. to 2 in. Wide Labels



XTL 300
For 1/4 in. to 1 in. Wide Labels



* Based on in-field use study

DYMO®

XTL™ 300



SIMPLIFIES THE MOST COMPLEX LABELING

Tired of complicated labelers? Simplify labeling with the DYMO® XTL™ 300. A lifelike on-screen print preview and built-in label applications help save time on the job. Prints labels from 1/4 in. up to 1 in. wide in custom lengths.

XTL 300 FEATURES:

- 1 Lifelike on-screen print preview and color display shows exactly how labels will look when applied to cables, panels and more
- 2 Built-in label applications make getting started from the home screen easy
- 3 Pre-loaded templates ensure perfect formatting to save time
- 4 Pre-set layouts for almost 100 patch panel models eliminate size and spacing guesswork
- 5 PC-connectivity* and free DYMO ID software for easy transfer of labels to and from the XTL 300 for jobsite editing and printing
- 6 Field-replaceable cutters for on-the-job repairs

*Works with Windows® 7, Windows® 8/8.1, Windows® 10

COMPATIBILITY & PACKAGE CONTENTS

XTL 300 SINGLE UNIT

Item # 1868813

3-Year Limited Warranty

PACKAGE CONTENTS:

- DYMO XTL 300 Label Maker
- AC Charging Adapter
- USB Cable
- Rechargeable Lithium Polymer Battery
- (1) 1 in. x 23 ft. All-Purpose Vinyl, Black on White Cartridge
- Quick Start Guide
- Software Download Card

Compatible with DYMO XTL Labels



XTL 300 KIT

Item # 1868814

PACKAGE CONTENTS:

(everything in single unit, as well as):

- (1) 13/16 in. x 1-9/16 in. Laminated Wire / Cable Wrap, Black on White, 150 labels
- Carrying Case



XTL 300 ACCESSORIES

Item Description	Item #
Rechargeable Battery	1814308
Replacement Cutter	1888634

XTL™ 500



SIMPLIFIES THE MOST COMPLEX LABELING

End frustration and simplify labeling with the DYMO® XTL™ 500. A lifelike on-screen print preview shows exactly how labels will look, while a color touch screen and built-in label applications make getting started easy. Prints labels from 1/4 in. to 2 in. wide in custom lengths.

XTL 500 FEATURES:

- 1 Lifelike, on-screen print preview and color display shows exactly how labels will look when applied to cables, pipes, panels and more
- 2 Built-in label applications make getting started from the home screen easy
- 3 Touchscreen helps make label creation easier and faster
- 4 Pre-loaded templates ensure perfect formatting to save time
- 5 Prints 1/4 in. to 2 in. durable labels including continuous length tape, laminated wire/cable wraps, heat-shrink tubes and pre-sized labels
- 6 Easily transfer labels to and from DYMO ID software and the PC-connected* XTL 500 for jobsite editing and printing
- 7 Built-in auto-cutter for high volume label output
- 8 Field-replaceable cutters for on-the-job repairs

*Works with Windows® 7, Windows® 8/8.1, Windows® 10

COMPATIBILITY & PACKAGE CONTENTS

XTL 500 SOFT KIT CASE

Item # 1868815

3-Year Limited Warranty

PACKAGE CONTENTS:

- DYMO XTL 500 Label Maker
- Carrying Case
- AC Charging Adapter
- USB Cable
- Rechargeable Lithium Polymer Battery
- (1) 2 in. x 23 ft. All-Purpose Vinyl, Black on White Cartridge
- (1) 1-1/2 in. x 1-9/16 in. Laminated Wire/Cable Wrap, Black on White, 150 labels
- Quick Start Guide
- Software Download Card



Compatible with DYMO XTL Labels



XTL 500 ACCESSORIES

Item Description	Item #
Rechargeable Battery	1888636
Replacement Cutter	1888637

dymo.com

DYMO[®]

DYMO[®] ID

ACHIEVING LABELING SIMPLICITY JUST GOT EASIER.

Using DYMO ID software is easy thanks to a uniform experience that integrates the same great features found on your XTL™ label maker and packs them into a powerful PC-based software package. DYMO ID also allows you to update the software on your XTL printer regularly. Available as a **FREE** download from dymo.com, DYMO ID will provide you with the functionality you need to tackle even the most complex labeling.

QUICKLY IMPORT DATA

to create a series of labels in just a few steps to eliminate manual entry, saving time and increasing productivity



OVER 200 PRE-LOADED SYMBOLS & IMAGES

or simply add a custom image to enhance communication and meet industry standards



SHEET LABELS

Quickly print XTL label maker Laminated Wire/Cable Wrap sheet labels directly on your laser printer



QUICK CUSTOMIZATION & UPGRADES

Simply plug your XTL into a PC and use DYMO ID software to customize your preferences and keep it up to date

DYMO[®] ID WORKS WITH THE FOLLOWING:

- XTL 300 Label Maker
- XTL 500 Label Maker
- XTL Laminated Wire/Cable Wrap Sheet Labels
- LabelWriter 4XL
- Works with Windows[®] 7 and later



Available as a **FREE** download from www.dymo.com

DYMO[®]

DYMO[®] ID +

FLUKE
networks[®]

CABLE LABELING MADE SIMPLE

Fully integrated with connectivity to Fluke Networks[®] LinkWare[™] Live, DYMO ID labeling software and XTL[™] label makers offer a simplified solution for cable label creation.



Fluke Networks
Versiv[™] Tester

DYMO XTL
Label Maker

QUICKLY IMPORT DATA

Import data from a LinkWare Live account in just a few steps to eliminate manual entry, saving time and increasing productivity.


From DYMO ID, easily access LinkWare Live projects, import cable ID data, and use built-in label applications and pre-loaded templates to further simplify labeling tasks. Transfer label jobs to an XTL printer for on-the-job printing.

- Use Cable ID data with built-in label applications and time-saving templates for patch panels, wire/cable labels, and more
- Consistent software design between DYMO ID software and XTL label makers makes it easy to transition between PC and label printer



XTL™ LABELS: A VISUAL GUIDE


LABEL WIDTHS



ALL-PURPOSE VINYL COLORS



PRE-SIZED LABELS



PRE-SIZED SAFETY LABELS



1868715
2 in. x 4 in.
(51 mm x 102 mm)




1868714
2 in. x 4 in.
(51 mm x 102 mm)

PRE-SIZED HEAT-SHRINK TUBE



1868733
1 in. x 1-7/8 in. Black on White
(25 mm x 47 mm)

LAMINATED WIRE/CABLE WRAPS




1868708
1-1/2 in. x 1-9/16 in.
(38 mm x 39 mm)

PERMANENT FLAT SURFACE



1868736
3/8 in. Black on White
(9 mm)



1868740
1/2 in. Black on Clear
(12 mm)



XTL™ LABELS

Industrial-strength labels withstand the toughest conditions – moisture, chemicals, a wide range of temperatures, UV light and more.

- Durable thermal transfer printing technology – label text won't smear or fade
- Easy-to-peel split back design and pre-sized labels make applying labels quick and easy



ALL-PURPOSE VINYL

- Moisture, chemical and UV resistance makes vinyl ideal for indoor/outdoor use
- Wide range of colors that comply with OSHA, ANSI and ISO color standards to enhance workplace communication and safety
- UL recognized as a component to UL 969



FLEXIBLE CABLE WRAPS

- For labeling wires, cables and rounded surfaces, flexible nylon material is designed to conform and stick
- Tear-proof material resists damage when pulled through tight spaces or conduits
- UL recognized as a component to UL 969



LAMINATED WIRE/CABLE WRAPS

- Pre-sized wire/cable wraps with laminated overwrap protect printed areas from oil, chemicals, moisture, abrasion and fading
- Also available in sheet label formats for high-volume installations
- UL recognized as a component to UL 969



PRE-SIZED SAFETY LABELS

- Specific labels with colored headers including labels pre-printed with DANGER and NOTICE headers for on-demand printing of small format safety signage
- UL recognized as a component to UL 969



PERMANENT FLAT SURFACE

- For labeling flat surfaces only, such as panels, blocks, faceplates, shelves, bins, beams and more
- Glossy finish leaves a professional look
- UL recognized as a component to UL 969



HEAT-SHRINK TUBES (CONTINUOUS AND PRE-SIZED)

- Heat-shrink tubes provide insulation when shrunk down and ensure a secure fit on wires and cables with a 3:1 shrink ratio
- Meets MIL-M-81531, MIL-STD-202G, SAE-DTL-23053/5 (Class 1 & 3)
- UL recognized as a component to UL 224



PRE-SIZED LABELS

- Ideal for flat surface labeling like barcodes, faceplates, shelves, bins, beams and more
- Pre-sized labels help facilitate batch label printing to improve productivity
- UL recognized as a component to UL 969



CONTINUOUS & PRE-SIZED LABELS



All-Purpose Vinyl



Flexible Cable Wrap



Permanent Flat Surface



Heat-Shrink Tube (continuous)

Text Color on Label Color	Length	1/4 in. (6 mm)	3/8 in. (9 mm)	1/2 in. (12 mm)	3/4 in. (19 mm)	1 in. (25 mm)	1-1/2 in. (38 mm)	2 in. (51 mm)	
		← Compatible with XTL™ 300 →							
ALL-PURPOSE VINYL		← Compatible with XTL™ 500 →							

ABC	23 ft. (7 m)	-	-	1868741	1868742	1868743	1868744	1868745
ABC	23 ft. (7 m)	-	-	1868746	1868747	1868748	1868749	1868750
ABC	23 ft. (7 m)	-	-	1868751	1868752	1868753	1868754	1868755
ABC	23 ft. (7 m)	-	-	1868756	1868757	1868758	1868759	1868760
ABC	23 ft. (7 m)	-	-	1868761	1868762	1868763	1868764	1868765
ABC	23 ft. (7 m)	-	-	1868766	1868767	1868768	1868769	1868770
ABC	23 ft. (7 m)	-	-	1868771	1868772	1868773	1868774	1868775
ABC	23 ft. (7 m)	-	-	1868776	1868777	1868778	1868779	1868780
ABC	23 ft. (7 m)	-	-	1868781	1868782	1868783	1868784	1868785
ABC	23 ft. (7 m)	-	-	1868786	1868787	1868788	1868789	1868790
ABC	23 ft. (7 m)	-	-	1868791	1868792	1868793	1868794	1868795
ABC	23 ft. (7 m)	-	-	1868796	1868797	1868798	1868799	1868800
ABC	23 ft. (7 m)	-	-	1868801	1868802	1868803	1868804	1868805

PERMANENT FLAT SURFACE

ABC	29.8 ft. (9.1 m)	1868735	1868736	1868737	-	-	-	-
ABC	29.8 ft. (9.1 m)	1868738	1868739	1868740	-	-	-	-

FLEXIBLE CABLE WRAP

ABC	18 ft. (5.5 m)	-	-	1868806	1868807	1868808	-	-
-----	----------------	---	---	---------	---------	---------	---	---

HEAT-SHRINK TUBE (CONTINUOUS)

ABC	8.9 ft. (2.7 m)	1868809	-	1868810	-	1868811	-	1868812*
-----	-----------------	---------	---	---------	---	---------	---	----------

*Tape length 5.9 ft. (1.8 m) for #1868812 only



Heat-Shrink Tube
(pre-sized)



Pre-Sized
Labels



Pre-Sized
Safety Labels



Laminated Wire/
Cable Wraps



Laminated Wire/
Cable Wraps (sheet labels)

Text Color on Label Color	Item #	Label Width	Label Length	Labels / Cartridge	Compatible Label Maker
---------------------------	--------	-------------	--------------	--------------------	------------------------

PRE-SIZED HEAT-SHRINK TUBE

ABC	1868717	1/4 in. (6 mm)	1-5/16 in. (34 mm)	81	XTL™ 500
ABC	1868718	1/2 in. (12 mm)	1-5/16 in. (34 mm)	65	XTL 500
ABC	1868719	1 in. (25 mm)	1-5/16 in. (34 mm)	65	XTL 500
ABC	1868720	2 in. (51 mm)	1-5/16 in. (34 mm)	25	XTL 500
ABC	1868731	1/4 in. (6 mm)	1-7/8 in. (47 mm)	81	XTL 500
ABC	1868732	1/2 in. (12 mm)	1-7/8 in. (47 mm)	65	XTL 500
ABC	1868733	1 in. (25 mm)	1-7/8 in. (47 mm)	65	XTL 500
ABC	1868734	2 in. (51 mm)	1-7/8 in. (47 mm)	25	XTL 500

PRE-SIZED LABELS


ABC	1868665	1/2 in. (12 mm)	1/2 in. (12 mm)	250	XTL™ 300, XTL 500
ABC	1868666	1/2 in. (12 mm)	1 in. (25 mm)	250	XTL 300, XTL 500
ABC	1868667	1/2 in. (12 mm)	1-1/2 in. (38 mm)	200	XTL 300, XTL 500
ABC	1868668	1 in. (25 mm)	1 in. (25 mm)	250	XTL 500
ABC	1868669	3/8 in. (9 mm)	1 in. (25 mm)	250	XTL 300, XTL 500
ABC	1868670	1/2 in. (12 mm)	3/4 in. (19 mm)	250	XTL 300, XTL 500
ABC	1868701	3/4 in. (19 mm)	1 in. (25 mm)	250	XTL 300, XTL 500
ABC	1868702	1 in. (25 mm)	2 in. (51 mm)	100	XTL 500
ABC	1868703	2 in. (51 mm)	3 in. (76 mm)	100	XTL 500

PRE-SIZED SAFETY LABELS (WITH COLORED HEADERS)

ABC	1868713	2 in. (51 mm)	4 in. (102 mm)	70	XTL 500
ABC	1868714	2 in. (51 mm)	4 in. (102 mm)	70	XTL 500
NOTICE ABC	1868715	2 in. (51 mm)	4 in. (102 mm)	70	XTL 500
⚠ DANGER ABC	1868716	2 in. (51 mm)	4 in. (102 mm)	70	XTL 500

LAMINATED WIRE/CABLE WRAPS

Item #	Label Width (Dim. A)	Label Length (Dim. B)	Printable Area (Dim. C)	Max Cable Diameter	Labels / Cartridge	Compatible Label Makers
1868704	13/16 in. (21 mm)	13/16 in. (21 mm)	0.35 in. (9 mm)	0.15 in. (3.8 mm)	250	XTL 300, XTL 500
1868705	13/16 in. (21 mm)	1-1/2 in. (39 mm)	0.60 in. (15 mm)	0.29 in. (7.3 mm)	150	XTL 300, XTL 500
1868706	13/16 in. (21 mm)	4 in. (102 mm)	1 in. (25 mm)	0.96 in. (24.5 mm)	75	XTL 300, XTL 500
1868707	1-1/2 in. (38 mm)	13/16 in. (21 mm)	0.35 in. (9 mm)	0.14 in. (3.5 mm)	250	XTL 500
1868708	1-1/2 in. (38 mm)	1-1/2 in. (39 mm)	0.60 in. (15 mm)	0.3 in. (7.6 mm)	150	XTL 500
1868709	1-1/2 in. (38 mm)	4 in. (102 mm)	1 in. (25 mm)	0.96 in. (24.5 mm)	75	XTL 500
1868710	2 in. (51 mm)	13/16 in. (21 mm)	0.35 in. (9 mm)	0.15 in. (3.8 mm)	250	XTL 500
1868711	2 in. (51 mm)	1-1/2 in. (39 mm)	0.60 in. (15 mm)	0.3 in. (7.6 mm)	100	XTL 500
1868712	2 in. (51 mm)	4 in. (102 mm)	1 in. (25 mm)	0.15 in. (24.5 mm)	70	XTL 500



A = Label Width
B = Label Length
C = Printable Area

LAMINATED WIRE/CABLE WRAPS (SHEET LABELS)**

Item #	Label Width (Dim. A)	Label Length (Dim. B)	Printable Area (Dim. C)	Max Cable Diameter	Labels / Sheet	Labels / Pack
1908552	1 in. (25 mm)	7/8 in. (23 mm)	0.42 in. (11 mm)	0.15 in. (3.8 mm)	96	2592
1908553	1 in. (25 mm)	1-5/8 in. (42 mm)	0.67 in. (17 mm)	0.32 in. (8 mm)	48	2544
1908554	1 in. (25 mm)	4 in. (103 mm)	1.05 in. (27 mm)	0.94 in. (23.9 mm)	16	1008
1908555	1-1/2 in. (41 mm)	7/8 in. (23 mm)	0.42 in. (11 mm)	0.15 in. (3.8 mm)	60	2040
1908556	1-1/2 in. (41 mm)	1-5/8 in. (42 mm)	0.67 in. (17 mm)	0.32 in. (8 mm)	30	1020
1908557	2 in. (51 mm)	7/8 in. (23 mm)	0.42 in. (11 mm)	0.15 in. (3.8 mm)	36	1008
1908558	2 in. (51 mm)	1-5/8 in. (42 mm)	0.67 in. (17 mm)	0.32 in. (8 mm)	18	1008

NOTE: All laminated wire / cable wraps are black text on white label.
**Sheet labels are compatible with laser printers.

DYMO®

RHINO™

COMPACT, TIME-SAVING LABELING FOR ON-THE-GO PROS.

Gets labeling jobs done fast – and done right. Use one-touch “Hot Key” shortcuts to quickly create and format wire/cable wraps, flags, fixed-length labels, module labels and more. Print labels up to 3/4 in. wide on flexible nylon, permanent polyester and durable vinyl materials – PLUS print directly on heat-shrink tubes. Save even more time with great features – like the “Favorites” key which provides single-key access to commonly used labels, symbols and terms; and the “Custom” key which eliminates repeated steps by saving customized settings.

“FAVORITES” KEY

Single-key access to your most commonly used labels, symbols and terms



RHINO™ 4200



ALL-PURPOSE INDUSTRIAL LABELING TOOL

With its familiar QWERTY keyboard, the Rhino 4200 gets industrial labeling jobs done fast and done right. “Hot Key” shortcuts enable you to quickly create and format wire/cable wraps, flags, fixed-length labels and more, while a “Favorites” key provides single-key access to your most commonly used labels, symbol and terms.

RHINO 4200 FEATURES:

- 1 Easily enter text with a familiar computer-style (QWERTY) keyboard
- 2 Use convenient one-touch “Hot Keys” to access shortcuts for creating and formatting wire/cable wraps, flags, fixed-length and general labels
- 3 Print 1/4 in., 3/8 in., 1/2 in., 3/4 in. wide industrial-strength labels in a variety of materials and colors – plus print directly onto heat-shrink tubes
- 4 Quickly access your most commonly used labels, symbols and terms with the “Favorites” key
- 5 Avoid repeated steps with the “Custom” key – customize and save settings for individual label formats

COMPATIBILITY & PACKAGE CONTENTS

RHINO 4200 SINGLE UNIT

Item # 1801611

PACKAGE CONTENTS:

- Rhino 4200 Label Maker
- IND Vinyl Label Cartridge, Black on White, 1/2 in.
- Quick Reference Guide

Requires 6AA or rechargeable batteries

Compatible with DYMO® IND Labels



RHINO 4200 KIT

Item # 1835374

PACKAGE CONTENTS:

(everything in single unit, as well as):

- Carry Case
- Rechargeable Lithium-ion Battery
- AC Adapter



RHINO 4200 ACCESSORIES

Item Description	Item #
Universal AC Adapter	15519
Rechargeable Battery	1759398
Soft Carry Case	1835375

dymo.com

DYMO®

RHINO™ 5200



PORTABLE LABELING TOOL THAT SAVES YOU TIME AND MONEY

The portable Rhino 5200 saves you time and money – the unit labels up to 77% faster than the competition. Press one “Hot Key” to format text into perfect patch panel labels; press another to print matching cable flags or face plate tags, without retyping. It’s just as easy to print cable and wire wraps, barcodes and more.

RHINO 5200 FEATURES:

- 1 Meets key ANSI and TIA 606-C industry labeling standards
- 2 Exclusive, one-touch “Hot Keys” to automatically size, space and format label text for electrical and patch panels, terminal, wire/cable flags, horizontal and vertical wraps, vertical and fixed-length applications
- 3 Prints 1/4 in. to 3/4 in. wide labels – perfect for asset management
- 4 Uses DYMO® Industrial labels with chemical-heat and UV-resistant materials; also prints heat-shrink tubes and non-adhesive labels
- 5 Last-label memory; storage for up to 100 pre-programmed industry symbols, fractions and punctuation marks

COMPATIBILITY & PACKAGE CONTENTS

RHINO 5200 SINGLE UNIT

Item # 1755749

PACKAGE CONTENTS:

- Rhino 5200 Label Printer
- IND Vinyl Label Cartridge, Black on White, 3/4 in.
- User Manual CD-ROM
- Quick Reference Guide

Requires 6AA or rechargeable batteries

Compatible with DYMO® IND Labels



RHINO 5200 KIT

Item # 1756589

PACKAGE CONTENTS:

(everything in single unit, as well as):

- IND Vinyl Label Cartridge, Black on White, 3/4 in.
- IND Vinyl Label Cartridge, Black on White, 3/8 in.
- AC Adapter
- Hard Carry Case
- Rechargeable Lithium-ion Battery



RHINO 5200 ACCESSORIES

Item Description	Item #
Universal AC Adapter	15519
Rechargeable Battery	1759398
Hard Carry Case	1760413

RHINO™ M1011



INDUSTRIAL-STRENGTH METAL EMBOSSING TOOL

The industrial-strength Rhino M1011 embosses 1/2 in. stainless steel and aluminum labels – with or without adhesive – that resist extreme weather, temperature, chemical and UV exposure. This durable embosser features an easy-to-use label cutting handle (cuts rounded edges), hole and cable tie slots, a trailing-edge measuring gauge and much more.

RHINO M1011 FEATURES:

- 1 Create 1/2 in. stainless steel and aluminum labels
- 2 Create hanging, screw-on or nail-on labels with 1/8 in. hole punch or cable tie slots
- 3 Accurately set the length of leading and trailing label edge with a built-in measuring gauge
- 4 Easy-to-use cutting handle makes cutting stainless steel labels effortless – cuts slightly rounded edges
- 5 Print standard or reverse script labels – both character wheels included
- 6 Deep emboss ensures excellent character legibility
- 7 Rugged cast-aluminum frame withstands tough working conditions

COMPATIBILITY & PACKAGE CONTENTS

RHINO™ M1011 SINGLE UNIT

Item # 101105

PACKAGE CONTENTS:

- M1011 Label Embosser
- Horizontal Character Wheel
- Reverse-Image Character Wheel
- Non-Adhesive Aluminum Labels Roll 1/2 in. x 16 ft.
- Non-Adhesive Stainless Steel Labels Roll 1/2 in. x 21 ft.
- Hard Carry Case



STAINLESS STEEL AND ALUMINIUM

Ideal for marking pipelines, underground cables, engine parts, building materials and more, DYMO aluminium and stainless steel IND Embossing labels are made for heavy-duty and extreme-condition labeling

EMBOSSING TAPES

Description	Item #	Label Width	Label Length
Aluminium without adhesive	310-00	1/2 in. (12 mm)	16 ft. (4.8 m)
Stainless steel without adhesive	325-00	1/2 in. (12 mm)	21 ft. (6.4 m)
Aluminium with adhesive	358-00	1/2 in. (12 mm)	12 ft. (3.65 m)



DYMO® IND LABELS

Jobsite tested and UL recognized, DYMO IND labels are tough.

- Thermal transfer printing means labels won't smear or fade
- Industrial-strength adhesive resists moisture, UV light and extreme temperatures



VINYL

For flat or curved surfaces, including wire/cable wraps. Available in the widest range of colors that meet key OSHA, ANSI and ISO color standards, DYMO IND Vinyl labels are ideal for both indoor and outdoor industrial applications



SELF-LAMINATING

Wire/cable wraps with laminated overwrap protect printed areas from oil, chemicals, moisture and fading



POLYESTER

DYMO IND Permanent Polyester labels are intended for flat surfaces or flags and feature a polished finish ideal for panels, blocks, faceplates, shelves, bins, beams and more



FLEXIBLE NYLON

Specifically designed for curved surfaces and wire/cable marking, DYMO IND Flexible Nylon labels stick securely to wires, cables, curved and textured surfaces



HEAT-SHRINK TUBES

DYMO IND Heat-Shrink Tube labels offer the convenience of printing directly on the tubing itself for high-end cable identification, with 3:1 reduction for tight compression



RHINO TAPES



All-Purpose Vinyl



Permanent Polyester



Flexible Cable Wrap

Text Color on Label Color	Length	1/4 in. (6 mm)	3/8 in. (9 mm)	1/2 in. (12 mm)	3/4 in. (19 mm)	1 in.* (25 mm)
---------------------------	--------	----------------	----------------	-----------------	-----------------	----------------

VINYL

ABC	18 ft. (5.5 m)	-	18443	18444	18445	1805430
ABC	18 ft. (5.5 m)	-	-	18432	18433	1805431
ABC	18 ft. (5.5 m)	-	-	18435	18436	-
ABC	18 ft. (5.5 m)	-	-	1805413	1805419	-
ABC	18 ft. (5.5 m)	-	-	1805416	1805422	1805429
ABC	18 ft. (5.5 m)	-	1805437	1805435	1805436	1805432
ABC	18 ft. (5.5 m)	-	-	1805414	1805420	-
ABC	18 ft. (5.5 m)	-	-	1805243	1805417	-
ABC	18 ft. (5.5 m)	-	-	1805415	1805421	-
ABC	18 ft. (5.5 m)	-	-	1805412	1805418	-

PERMANENT POLYESTER

ABC	18 ft. (5.5 m)	1805442	18482	18483	18484	1734523
ABC	18 ft. (5.5 m)	1805440	18508DMO	622289	622290	-
ABC	18 ft. (5.5 m)	1805441	18485	18486	18487	-

HEAT SHRINK TUBES

ABC	5 ft. (1.5 m)	18051	18053	18055	18057	1805443
ABC	5 ft. (1.5 m)	18052	18054	18056	18058	1805444

FLEXIBLE NYLON

ABC	11.5 ft. (3.5 m)	-	-	18488	18489	1734524
ABC	11.5 ft. (3.5 m)	-	-	18490	18491	1734525

SELF LAMINATED

ABC	18 ft. (5.5 m)	-	-	-	-	1734821
-----	----------------	---	---	---	---	---------

*1 in. IND labels are only compatible with the Rhino™ 6000



THE RIGHT LABEL FOR THE RIGHT APPLICATION

		XTL™						Pre-Sized Safety Labels
		All-Purpose Vinyl	Permanent Flat Surface	Flexible Cable Wrap	Heat-Shrink Tube (continuous & pre-sized)	Laminated Wire/Cable Wraps	Pre-Sized Labels	
Surface	Flat	✓	✓	✓			✓	✓
	Wires & Cables	✓		✓	✓	✓		
	Curved	✓		✓				
	Flag	✓	✓	✓				
	Textured	✓	✓	✓				
Resistance	Heat / Cold	-40° F to 176° F	-40° F to 302° F	-40° F to 176° F	-67° F to 257° F	-40° F to 176° F	-40° F to 302° F	-40° F to 176° F
	Outdoor	✓	✓			✓		
	UV Light	✓	✓	✓				
	Oil	✓	✓		✓	✓	✓	✓
	Water	✓	✓		✓	✓	✓	
	Chemical	✓	✓			✓		
Industry Standards & Ratings	Color	OSHA, ANSI, ISO color standards						Colored header to comply with OSHA, ANSI, ISO color standards
	UL Recognized as a component to	UL 969	UL 969	UL 969	UL 224	UL 969	UL 969	UL 969
	MIL-Spec & SAE				MIL-M-8153 MIL-STD-202G SAE-DTL-230535 (Class 1 & 3)			
	RoHS	✓	✓	✓	✓	✓	✓	✓

		Rhino® IND					Rhino Embossing			LabelWriter®
		Vinyl	Permanent Polyester	Flex Nylon	Heat-Shrink Tube	Self-Laminating	Aluminum with Adhesive	Aluminium	Stainless Steel	LW Durables
Surface	Flat	✓	✓	✓			✓		✓	
	Wires & Cables	✓		✓	✓	✓		✓	✓	
	Curved	✓		✓				✓		
	Flag	✓	✓	✓					✓	
	Textured	✓	✓	✓				✓	✓	
Resistance	Heat / Cold	-40° F to 176° F	-40° F to 302° F	-40° F to 176° F	-67° F to 257° F	-40° F to 176° F	Max 302° F	Max 302° F	0° F to 1112° F	0° F to 122° F
	Outdoor	✓	✓				✓	✓	✓	
	UV Light	✓	✓	✓	✓	✓	✓	✓	✓	
	Oil	✓	✓		✓	✓	✓	✓	✓	
	Water	✓	✓		✓	✓	✓	✓	✓	
	Chemical	✓	✓	✓	✓	✓	✓	✓	✓	
Industry Standards & Ratings	Color	OSHA, ANSI ISO								
	UL Recognized as a component to	UL 969	UL 969	UL 969	UL 224	UL 969			UL 969	
	MIL-Spec & SAE			MIL-M-8153 MIL-STD-202G SAE-DTL-230535 (Class 1 & 3)						
	RoHS	✓	✓	✓	✓	✓	✓	✓	✓	

CHOOSING BETWEEN XTL™ AND RHINO™



Feature / Product	XTL™ 500	XTL™ 300	Rhino™ 5200	Rhino™ 4200
ITEM #	Kit: 1868815	1868813 / Kit: 1868814	17755749 / Kit: 1756589	1801611 / Kit: 1835374
Printing System	Thermal Transfer	Thermal Transfer	Thermal Transfer	Thermal Transfer
Max Label Width	2 in.	1 in.	3/4 in.	3/4 in.
Labels Supported	DYMO® XTL	DYMO XTL	D1, IND	D1, IND
Display	4 in. Color Touch Screen	2.8 in. Color Screen	2.63 in.	2.56 in.
Print Speed (average)	1.10 in./sec	1.25 in./sec	0.4 in./sec	0.6 in./sec
Keyboard	QWERTY	QWERTY	ABC	QWERTY
Print DPI	300	300	180	180
Printable Lines	24	11	5	5
Barcodes Supported	Code 128 (Auto), Code 39, Code 39 Mod 43, EAN8, EAN13, UPC-A, Codabar, PDF-417, QR Code	Code 128 (Auto), Code 39, Code 39 Mod 43, EAN8, EAN13, UPC-A, Codabar, PDF-417, QR Code	Code 39 Mod 43, Code 128	Code 39 Mod 43, Code 128
Serialization	✓	✓	✓	✓
Cutter	Auto, Replaceable	Manual, Replaceable	Manual	Manual
Power Supply	Rechargeable Lithium Polymer Battery or AC Adapter	Rechargeable Lithium Polymer Battery or AC Adapter	AA / Rechargeable Lithium-ion Capable	AA / Rechargeable Lithium-ion Capable
Memory	41 MB	41 MB	100 labels / Last Label	25 labels / Last Label
Warranty	3-Year Limited	3-Year Limited	1-Year Limited	1-Year Limited
PC Connectivity	✓	✓	–	–
Software	DYMO® ID, Free download	DYMO ID, Free download	–	–
Compatibility	Windows® 7 and later	Windows® 7 and later	–	–

HOW TO CHOOSE THE RIGHT DYMO® INDUSTRIAL LABEL

Environment						
Surface	Heat/Cold Resistant	UV Light Resistant	Oil Resistant	Water Resistant	Chemical Resistant	Color Coding
Cable/Wire	Flexible Nylon/ Flexible Cable Wrap Heat-Shrink Tube	Vinyl/ All Purpose Vinyl Heat-Shrink Tube	Vinyl/ All Purpose Vinyl Heat-Shrink Tube	Vinyl/ All Purpose Vinyl Heat-Shrink Tube	Vinyl/ All Purpose Vinyl Heat-Shrink Tube	Vinyl/ All Purpose Vinyl
Curved Surface	Flexible Nylon/ Flexible Cable Wrap Vinyl/ All Purpose Vinyl	Vinyl/ All Purpose Vinyl Flexible Nylon/ Flexible Cable Wrap	Vinyl/ All Purpose Vinyl	Vinyl/ All Purpose Vinyl Flexible Nylon/ Flexible Cable Wrap	Vinyl/ All Purpose Vinyl	Vinyl/ All Purpose Vinyl
Flat Surface	Permanent Polyester/ Permanent Flat Surface Flexible Nylon/ Flexible Cable Wrap	Permanent Polyester/ Permanent Flat Surface Vinyl/ All Purpose Vinyl	Permanent Polyester/ Permanent Flat Surface Vinyl/ All Purpose Vinyl	Permanent Polyester/ Permanent Flat Surface Vinyl/ All Purpose Vinyl	Permanent Polyester/ Permanent Flat Surface Vinyl/ All Purpose Vinyl	Vinyl/ All Purpose Vinyl
Textured Surface	Permanent Polyester/ Permanent Flat Surface Flexible Nylon/ Flexible Cable Wrap	Vinyl/ All Purpose Vinyl Permanent Polyester/ Permanent Flat Surface	Vinyl/ All Purpose Vinyl Permanent Polyester/ Permanent Flat Surface	Vinyl/ All Purpose Vinyl Permanent Polyester/ Permanent Flat Surface	Vinyl/ All Purpose Vinyl Permanent Polyester/ Permanent Flat Surface	Vinyl/ All Purpose Vinyl

Top = Best Option Bottom = Alternate Option

dymo.com

DYMO®

LABELWRITER® 4XL

THE WIDE-FORMAT, COST-EFFECTIVE LABEL PRINTER FOR HIGH-VOLUME LABELING

Put a DYMO® LabelWriter 4XL in your office or workplace, and you're ready for any mailing or labeling job that comes your way. Print labels up to 4-1/16 in. wide, including all-in-one 4-1/16 in. x 6-1/4 in. shipping labels, bulk mailing, warehouse labels and other large label formats. And print dozens more label styles and sizes for use with file folders, name badges and more. In addition, with its compact size, the 4XL printer fits into almost any workspace or desktop. With its fast print speed, crisp print quality and time-saving DYMO Label™ and DYMO ID softwares, you'll quickly and easily create all the labels you need to meet any shipping or business demand.



LABELWRITER 4XL FEATURES:

- 1 Print labels up to 4-1/16 in. wide – including large-format labels, 4-1/16 in. x 6-1/4 in. all-in-one shipping labels, warehouse labels, barcode and identification labels
- 2 Print up to 53 labels per minute – easily print labels from your Outlook® Contacts or Mac® Address Book
- 3 Uses thermal printing technology – no expensive ink or toner costs, ever
- 4 Easily transfer labels to and from DYMO ID software with a PC* for the same simplified labeling experience found with XTL™ label makers, while also offering additional features to help tackle high-volume label tasks
- 5 Also compatible with DYMO Label software, created for home or office use. Print crisp text, graphics and barcodes at 300 dpi. Create labels directly from text in Microsoft® Word, Excel®, Outlook® or CardScan®, without retyping. Print dozens more label styles and sizes for addresses, file folders, name badges.

COMPATIBILITY & PACKAGE CONTENTS

Compatible with DYMO® LW Labels



LABELWRITER 4XL SINGLE UNIT

Item # 1755120

PACKAGE CONTENTS:

- LabelWriter 4XL Label printer
- 4 in. x 6 in. Extra Large Shipping Labels
- Adapter
- Power Cable
- USB Cable
- Quick Start Guide

*DYMO ID is compatible with Windows® 7 or later

LABELWRITER® 450 TURBO

HIGH-SPEED LABEL PRINTER FOR PC AND MAC®

The LabelWriter 450 Turbo not only prints up to 71 four-line address labels per minute, but prints a wide variety of pre-sized labels too. Print labels up to 2-5/16 in. wide in a variety of lengths. Customize and print address, shipping, file folder and barcode labels, plus name badges and more straight from your PC or Mac®*. Save time and money at the office with the versatile LabelWriter 450 Turbo.



LABELWRITER 450 TURBO FEATURES:

- 1 Eliminate the waste and hassle of sheet labels – print precise quantities without difficulty
- 2 Customize and print address, shipping, file folder and barcode labels, plus name badges and more – all from your PC or Mac®*
- 3 Print fast – up to 71 labels per minute**
- 4 No expensive ink or toner needed – uses thermal printing technology
- 5 Print crystal-clear barcodes, labels and graphics with 600 x 300 dpi resolution

COMPATIBILITY & PACKAGE CONTENTS

Compatible with DYMO® LW Labels



LABELWRITER 450 TURBO SINGLE UNIT

Item # 1752265

PACKAGE CONTENTS:

- LabelWriter 450 Turbo Label Printer
- Address Labels Starter Roll
- DYMO Stamps® Starter Roll
- Adapter
- Power Cable
- USB Cable
- Quick Start Guide

*Compatible with Windows® 7 or later and Mac OS® X v10.8 or later. Microsoft and Windows are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Mac and OS X are trademarks of Apple Inc., registered in the U.S. and other countries.

**4-line address label

dymo.com

DYMO®

LABELWRITER® 450 TWIN TURBO

DUAL-ROLL LABEL AND POSTAGE PRINTER FOR PC AND MAC®

The DYMO® LabelWriter 450 Twin Turbo features two rolls of labels ready to print at all times – enhancing efficiency by allowing you to print two label types without swapping label rolls – and prints up to 71 four-line standard address labels per minute for maximum productivity. Create and print address, shipping, file folder and barcode labels, plus name badges and more – all without the extra work and hassle of printing sheet labels on a standard desktop printer.



LABELWRITER 450 TWIN TURBO FEATURES:

- 1 Have two rolls of labels ready to print at all times – perfect for enhancing efficiency and printing address labels or postage without swapping label rolls
- 2 Eliminate the waste and hassle of sheet labels – print precise quantities without difficulty
- 3 Label, mail, and file more efficiently with DYMO Label™ software
- 4 Customize and print address, shipping, file folder and barcode labels, plus name badges and more – all from your PC or Mac®*

COMPATIBILITY & PACKAGE CONTENTS

LABELWRITER 450 TWIN TURBO SINGLE UNIT

Item # 1752266

PACKAGE CONTENTS:

- LabelWriter 450 Twin Turbo Label Printer
- Address Labels Starter Roll
- DYMO Stamps® Starter Roll
- Adapter
- Power Cable
- USB Cable
- Quick Start Guide

Compatible with DYMO® LW Labels



* Compatible with Windows® 7 or later and Mac OS® X v10.8 or later. Microsoft and Windows are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Mac and OS X are trademarks of Apple Inc., registered in the U.S. and other countries.



DYMO® LW DURABLE LABELS

Last on demanding surfaces to work overtime in tough conditions.

- Industrial-strength adhesive sticks securely to challenging surfaces like metal tread plate, textured PVC, wood, glass and more
- Protective coating prevents peeling from abrasion, as well as industrial oils and cleaners
- Moisture-resistant design withstands damp conditions up to 85% humidity
- Ideal for labeling shelves, warehousing, chemical storage, floor markers, equipment/inventory and more

Label Format	SKU	Label Size	Labels Per Roll	Rolls Per Box
	1933081	1 in. x 3-1/2 in. (25 mm x 89 mm)	350	2
	1933083	1 in. x 1 in. (25 mm x 25 mm)	850	2
	1933084	2-1/4 in. x 1-1/4 in. (57 mm x 32 mm)	800	1
	1933085	3/4 in. x 2-1/2 in. (19 mm x 64 mm)	450	2
	1933086*	4 in. x 6 in. (104 mm x 159 mm)	200	1
	1933087	2-5/16 in. x 7-1/2 in. (59 mm x 190 mm)	170	1
	1933088	2-5/16 in. x 4 in. (59 mm x 102 mm)	300	1

*Only compatible with the LabelWriter® 4XL

DYMO®



Visit us at [DYMO.com](https://www.dymo.com)

©2018 NEWELL OFFICE BRANDS
PRODUCT OF: NEWELL OFFICE BRANDS
6655 PEACHTREE DUNWOODY RD.
ATLANTA, GA 30328
[WWW.DYMO.COM](https://www.dymo.com)
CUSTOMER CARE: 877-724-8324

DYM01054

newell
BRANDS